

## Ohio Administrative Code

Rule 3701:1-46-36 Luminous safety devices for use in aircraft: material transfer reports.

Effective: June 16, 2017

(A) Each person licensed under rule 3701:1-46-33 of the Administrative Code shall file an annual report with the director at the following address:

"Ohio Department of Health


Bureau of Environmental Health and Radiation Protection

246 North High Street

Columbus, Ohio 43215"

which must state the total quantity of tritium or promethium-147 transferred to persons generally licensed under rule 3701:1-46-07 of the Administrative Code. The report must identify each general licensee by name, state the kinds and numbers of luminous devices transferred, and specify the quantity of tritium or promethium-147 in each kind of device. Each report must cover the year ending June 30 and must be filed within thirty days thereafter. If no transfers have been made to persons generally licensed under rule 3701:1-46-07 of the Administrative Code during the reporting period, the report must so indicate.

(B) Each person licensed under rule 3701:1-46-33 of the Administrative Code shall report annually all transfers of devices to persons for use under a general license in an agreement state or the United States nuclear regulatory commission's regulations that are equivalent to rule 3701:1-46-07 of the Administrative Code to the responsible agreement state or United States nuclear regulatory commission. The report must state the total quantity of tritium or promethium-147 transferred, identify each general licensee by name, state the kinds and numbers of luminous devices transferred, and specify the quantity of tritium or promethium-147 in each kind of device. If no transfers have been made to a particular agreement state or the United States nuclear regulatory commission during the reporting period, this information must be reported to the responsible agreement state agency or



to the United States nuclear regulatory commission upon request of the agency.