3745-270-40 Applicability- treatment standards.

- (A) A prohibited waste identified in the table in this rule "Treatment Standards for Hazardous Waste" may be land disposed only if <u>itthe prohibited waste</u> meets the requirements found in the table in this rule. For each waste, the table in this rule identifies one of three types of treatment standard requirements:
 - (1) All hazardous constituents in the waste or in the treatment residue <u>mustshall</u> be at or below the values <u>found</u>-in the table in this rule for that waste ("total waste standards"); <u>or.</u>
 - (2) The hazardous constituents in the extract of the waste or in the extract of the treatment residue <u>mustshall</u> be at or below the values found in the table in this rule ("waste extract standards"); or.
 - (3) The waste <u>mustshall</u> be treated using the technology specified in the table in this rule ("technology standard"), which are described in detail in the table in rule 3745-270-42 of the Administrative Code.

(B) For:

- (1) For wastewaters Wastewaters, compliance with concentration level standards is based on maximums for any one day, except for D004 to D011 wastes for which the previously promulgated treatment standards based on grab samples remain in effect.
- (2) For all All nonwastewaters, compliance with concentration level standards is based on grab sampling.
- (3) For wastes Wastes covered by the waste extract standards, the test method 1311, the toxicity characteristic leaching procedure found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,", U.S. EPA publication SW-846, mustshall be used to measure compliance. An exception is made for D004 and D008, for which either of two test methods may be used: method 1311, or method 1310B, the extraction procedure toxicity test.
- (4) For wastes Wastes covered by a technology standard, the wastes may be land disposed after being treated using that specified technology or an equivalent treatment technology approved by the director under the procedures set forth in paragraph (B) of rule 3745-270-42 of the Administrative Code.
- (C) When wastes with differing treatment standards for a constituent of concern are combined for purposes of treatment, the treatment residue <u>mustshall</u> meet the lowest treatment standard for the constituent of concern.

- (D) Notwithstanding the prohibitions specified in paragraph (A) of this rule, treatment and disposal facilities may demonstrate [and certify pursuant to paragraph (B)(5) of rule 3745-270-07 of the Administrative Code] compliance with the treatment standards for organic constituents specified by a footnote in the table in this rule, provided <u>all of</u> the following conditions are satisfied:
 - (1) The treatment standards for the organic constituents were established based on incineration in units operated in accordance with the technical requirements of rules 3745-57-40 to 3745-57-51 of the Administrative Code, or based on combustion in fuel substitution units operating in accordance with applicable technical requirements in the hazardous waste rules;
 - (2) The treatment or disposal facility has used the methods referenced in paragraph (D)(1) of this rule to treat the organic constituents; and.
 - (3) The treatment or disposal facility may demonstrate compliance with organic constituents if good-faith analytical efforts achieve detection limits for the regulated organic constituents that do not exceed by an order of magnitude the treatment standards specified in this rule.
- (E) For characteristic waste (D001 to D043) that are subject to treatment standards in the table in this rule, and are not managed in a wastewater treatment system that is regulated under the Clean Water Act (CWA), that is CWA-equivalent, or that is injected into a "Class I" nonhazardous deep injection well, all "underlying hazardous constituents" (as defined in rule 3745-270-02 of the Administrative Code) mustshall meet universal treatment standards found—in the table in rule 3745-270-48 of the Administrative Code prior to "land disposal" (as defined in rule 3745-270-02 of the Administrative Code).
- (F) The treatment standards for F001 to F005 nonwastewater constituents carbon disulfide, cyclohexanone, and/oror methanol apply to wastes which contain only one, two, or three of these constituents. Compliance is measured for these constituents in the waste extract from test method 1311. If the waste contains any of these three constituents along with any of the other twenty-five constituents found in F001 to F005, then compliance with treatment standards for carbon disulfide, cyclohexanone, and/oror methanol is not required.
- (G) Reserved.

- (H) Prohibited D004 to D011 mixed radioactive wastes and mixed radioactive listed wastes containing metal constituents, that were previously treated by stabilization to the treatment standards in effect at that time and then put into storage, do not have to be re-treated to meet treatment standards in this rule prior to land disposal.
- (I) Reserved.
- (J) The treatment standards for the wastes specified in rule 3745-51-33 of the Administrative Code as EPA hazardous waste numbers P185, P191, P192, P197, U364, U394, and U395 may be satisfied by either meeting the constituent concentrations presented in the table in this rule, or by treating the waste by the following technologies: combustion, as defineddescribed by the technology code CMBST in the table in rule 3745-270-42 of the Administrative Code, for nonwastewaters; and, biodegradation as defineddescribed by the technology code CARBN, chemical oxidation as defineddescribed by the technology code CHOXD, or combustion as defineddescribed as technology code CMBST in the table in rule 3745-270-42 of the Administrative Code, for wastewaters.

Table: Treatment Standards for Hazardous Wastes

The treatment standards that previously appeared in tables in rules 3745-59-41, 3745-59-42, and 3745-59-43 of the Administrative Code have been consolidated into this table.

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D001 9	Ignitable characteristic wastes, except for the paragraph (A)(1) of rule 3745-51-21 of the Administrative Code. high "High total organic carbon (TOC) subcategory."	NA	NA	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸ ; or RORGS; or CMBST	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸ ; or RORGS; or CMBST
	High TOC ignitable characteristic liquids subcategory based on paragraph (A)(1) of rule 3745-51-21 of the Administrative Code- greater than or equal to ten per cent total organic carbon. (Comment: This subcategory consists of nonwastewaters only.)	NA	NA	NA	RORGS; CMBST; or POLYM
D002 ⁹	Corrosive characteristic wastes.	NA	NA	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D002,	Radioactive high level wastes	Corrosivity (pH)	NA	NA	HLVIT
D004,	generated during the reprocessing	Arsenic	7440-38-2	NA	HLVIT
D005,	of fuel rods.	Barium	7440-39-3	NA	HLVIT
D006, D007,	(Comment: This subcategory consists of nonwastewaters only.)	Cadmium	7440-43-9	NA	HLVIT
D008,	consists of nonwaste waters only.)	Chromium (total)	7440-47-3	NA	HLVIT
D009,		Lead	7439-92-1	NA	HLVIT
D010, D011		Mercury	7439-97-6	NA	HLVIT
		Selenium	7782-49-2	NA	HLVIT
		Silver	7440-22-4	NA	HLVIT
D003 ⁹	Reactive sulfides subcategory based on paragraph (A)(5) of rule 3745-51-23 of the Administrative Code.	NA	NA	DEACT	DEACT
	Explosives subcategory based on paragraphs (A)(6), (A)(7), and (A)(8) of rule 3745-51-23 of the Administrative Code.	NA	NA	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	Unexploded ordnance and other explosive devices which have been the subject of an emergency response.	NA	NA	DEACT	DEACT

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	Other reactives subcategory based on paragraph (A)(1) of rule 3745-51-23 of the Administrative Code.	NA	NA	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	Water reactive subcategory based on paragraphs (A)(2), (A)(3), and (A)(4) of rule 3745-51-23 of the Administrative Code. (Comment: This subcategory consists of nonwastewaters only.)	NA	NA	NA	DEACT and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	Reactive cyanides subcategory based on paragraph (A)(5) of rule 3745-51-23 of the Administrative	Cyanides (total) ⁷ Cyanides (amenable) ⁷	57-12-5 57-12-5	Reserved 0.86	590.0 30.0
	Code.				
D004 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on the toxicity characteristic leaching procedure (TCLP) in SW-846.	Arsenic	7440-38-2	1.4 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.0 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D005 9	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on the extraction procedure (EP) in SW-846.	Barium	7440-39-3	1.2 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	21 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D006 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium based on the TCLP in SW-846.	Cadmium	7440-43-9	0.69 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.11 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	Cadmium containing-batteries subcategory. (Comment: This subcategory consists of nonwastewaters only.)	Cadmium	7440-43-9	NA	RTHRM
	Radioactively contaminated cadmium-containing batteries. (Comment: This subcategory consists of nonwastewaters only.)	Cadmium	7440-43-9	NA	Macroencapsulation in accordance with rule 3745-270-45 of the Administrative Code
D007 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on the TCLP) in SW-846.	Chromium (total)	7440-47-3	2.77 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.6 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D008 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for lead based on the TCLP in SW-846.	Lead	7439-92-1	0.69 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.75 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	Lead acid batteries subcategory. [Comment: This standard only applies to lead acid batteries that are identified as RCRA hazardous wastes and that are not excluded elsewhere from regulation under Chapter 3745-270 of the Administrative Code or exempted under other rules (see rule 3745-266-80 of the Administrative Code). This subcategory consists of nonwastewaters only.]	Lead	7439-92-1	NA	RLEAD

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA				_	Concentration ⁵ in
hazardous	Waste description and		_	Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/l mg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
	Radioactive lead solids	Lead	7439-92-1	NA	MACRO
	subcategory.				
	[Comment: These lead solids				
	include, but are not limited to, all				
	forms of lead shielding and other				
	elemental forms of lead. These				
	lead solids do not include				
	treatment residuals such as				
	hydroxide sludges, other				
	wastewater treatment residuals, or				
	incinerator ashes that can undergo				
	conventional pozzolanic				
	stabilization, nor do they include				
	organo-lead materials that can be				
	incinerated and stabilized as ash.				
	This subcategory consists of				
	nonwastewaters only.]				

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D009 ⁹	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the TCLP in SW-846; and contain greater than or equal to 260.0 mg/kg total mercury that also contains organics and are not incinerator residues. (High mercury- organic subcategory)	Mercury	7439-97-6	NA	IMERC; or RMERC
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the TCLP in SW-846; and contain greater than or equal to 260.0 mg/kg total mercury that are inorganic, including incinerator residues and residues from RMERC. (High mercury- inorganic subcategory)	Mercury	7439-97-6	NA	RMERC

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the TCLP in SW-846; and contain less than 260.0 mg/kg total mercury and that are residues from RMERC only. (Low mercury subcategory)	Mercury	7439-97-6	NA	0.2 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	All other nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the TCLP in SW-846; and contain less than 260.0 mg/kg total mercury and that are not residues from RMERC. (Low mercury subcategory)	Mercury	7439-97-6	NA	0.025 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	All D009 wastewaters	Mercury	7439-97-6	0.15 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	NA

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	Elemental mercury contaminated with radioactive materials. (Comment: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA	AMLGM
	Hydraulic oil contaminated with mercury radioactive materials subcategory. (Comment: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA	IMERC
	Radioactively contaminated mercury-containing batteries. (Comment: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA	Macroencapsulation in accordance with rule 3745-270-45 of the Administrative Code
D010 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on the TCLP in SW-846.	Selenium	7782-49-2	0.82 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.7 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D011 ⁹	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver based on the TCLP in SW-846.	Silver	7440-22-4	0.43 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.14 mg/lmg/L TCLP and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous of	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	Radioactively contaminated silver-containing batteries. (Comment: This subcategory consists of nonwastewaters only.)	Silver	7440-22-4	NA	Macroencapsulation in accordance with rule 3745-270-45 of the Administrative Code
D012 ⁹	Wastes that are TC for Endrin based on the TCLP in SW-846 method 1311.	Endrin	72-20-8	BIODG; or CMBST	0.13 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
		Endrin aldehyde	7421-93-4	BIODG; or CMBST	0.13 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D013 ⁹	Wastes that are TC for Lindane based on the TCLP in SW-846 method 1311.	alpha-BHC	319-84-6	CARBN; or CMBST	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
		beta-BHC	319-85-7	CARBN; or CMBST	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		delta-BHC	319-86-8	CARBN; or CMBST	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
		gamma-BHC (Lindane)	58-89-9	CARBN; or CMBST	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D014 ⁹	Wastes that are TC for Methoxychlor based on the TCLP in SW-846 method 1311.	Methoxychlor	72-43-5	WETOX or CMBST	0.18 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D015 ⁹	Wastes that are TC for Toxaphene based on the TCLP in SW-846 method 1311.	Toxaphene	8001-35-2	BIODG or CMBST	2.6 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D016 ⁹	Wastes that are TC for 2,4-D (2,4-Dichlorophenoxyacetic acid) based on the TCLP in SW-846 method 1311.	2,4-D (2,4- Dichlorophenoxyacetic acid)	94-75-7	CHOXD, BIOGD <u>BIODG</u> , or CMBST	10.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D017 ⁹	Wastes that are TC for 2,4,5-TP (Silvex) based on the TCLP in SW-846 method 1311.	2,4,5-TP (Silvex)	93-72-1	CHOXD or CMBST	7.9 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D018 ⁹	Wastes that are TC for Benzene based on the TCLP in SW-846 method 1311.	Benzene	71-43-2	0.14 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	10.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D019 ⁹	Wastes that are TC for Carbon tetrachloride based on the TCLP in SW-846 method 1311.	Carbon tetrachloride	56-23-5	0.057 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D020 ⁹	Wastes that are TC for Chlordane based on the TCLP in SW-846 method 1311.	Chlordane (alpha and gamma isomers)	57-74-9	0.0033 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.26 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D021 ⁹	Wastes that are TC for Chlorobenzene based on the TCLP in SW-846 method 1311.	Chlorobenzene	108-90-7	0.057 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D022 ⁹	Wastes that are TC for Chloroform based on the TCLP in SW-846 method 1311.	Chloroform	67-66-3	0.046 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D023 ⁹	Wastes that are TC for o-Cresol based on the TCLP in SW-846 method 1311.	o-Cresol	95-48-7	0.11 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.6 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D024 ⁹	Wastes that are TC for m-Cresol based on the TCLP in SW-846 method 1311.	m-Cresol (difficult to distinguish from p-Cresol)	108-39-4	0.77 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.6 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D025 ⁹	Wastes that are TC for p-Cresol based on the TCLP in SW-846 method 1311.	p-Cresol (difficult to distinguish from m-Cresol)	106-44-5	0.77 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.6 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D026 ⁹	Wastes that are TC for Cresols (total) based on the TCLP in SW-846 method 1311.	Cresol- mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	11.2 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D027 ⁹	Wastes that are TC for p-Dichlorobenzene based on the TCLP in SW-846 method 1311.	p-Dichlorobenzene (1,4-Dichlorobenzene)	106-46-7	0.09 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D028 ⁹	Wastes that are TC for (1,2-Dichloroethane) based on the TCLP in SW-846 method 1311.	(1,2-Dichloroethane)	107-06-2	0.21 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D029 ⁹	Wastes that are TC for 1,1-Dichloroethylene based on the TCLP in SW-846 method 1311.	1,1-Dichloroethylene	75-35-4	0.025 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D030 ⁹	Wastes that are TC for 2,4-Dinitrotoluene based on the TCLP in SW-846 method 1311.	2,4-Dinitrotoluene	121-14-2	0.32 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	140.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D031 ⁹	Wastes that are TC for Heptachlor based on the TCLP in SW-846 method 1311.	Heptachlor	76-44-8	0.0012 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous c	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Heptachlor epoxide	1024-57-3	0.016 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	0.066 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D032 ⁹	Wastes that are TC for Hexachlorobenzene based on the TCLP in SW-846 method 1311.	Hexachlorobenzene	118-74-1	0.055 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	10.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D033 ⁹	Wastes that are TC for Hexachlorobutadiene based on the TCLP in SW-846 method 1311.	Hexachlorobutadiene	87-68-3	0.055 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	5.6 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D034 ⁹	Wastes that are TC for Hexachloroethane based on the TCLP in SW-846 method 1311.	Hexachloroethane	67-72-1	0.055 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	30.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D035 ⁹	Wastes that are TC for Methyl ethyl ketone based on the TCLP in SW-846 method 1311.	Methyl ethyl ketone	78-93-3	0.28 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	36.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous c	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D036 ⁹	Wastes that are TC for Nitrobenzene based on the TCLP in SW-846 method 1311.	Nitrobenzene	98-95-3	0.068 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	14.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D037 ⁹	Wastes that are TC for Pentachlorophenol based on the TCLP in SW-846 method 1311.	Pentachlorophenol	87-86-5	0.089 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	7.4 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D038 ⁹	Wastes that are TC for Pyridine based on the TCLP in SW-846 method 1311.	Pyridine	110-86-1	0.014 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	16.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D039 ⁹	Wastes that are TC for Tetrachloroethylene based on the TCLP in SW-846 method 1311.	Tetrachloroethylene	127-18-4	0.056 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D040 ⁹	Wastes that are TC for Trichloroethylene based on the TCLP in SW-846 method 1311.	Trichloroethylene	79-01-6	0.054 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
D041 ⁹	Wastes that are TC for 2,4,5-Triclorophenol based on the TCLP in SW-846 method 1311.	2,4,5-Triclorophenol	95-95-4	0.18 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	7.4 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D042 ⁹	Wastes that are TC for 2,4,6-Trichlorophenol based on the TCLP in SW-846 method 1311.	2,4,6-Trichlorophenol	88-06-2	0.035 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	7.4 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
D043 ⁹	Wastes that are TC for Vinyl chloride based on the TCLP in SW-846 method 1311.	Vinyl chloride	75-01-4	0.27 and meet standards in rule 3745-270-48 of the Administrative Code ⁸	6.0 and meet standards in rule 3745-270-48 of the Administrative Code ⁸
	F001, F002, F003, F004, and/oror F005 solvent wastes that contain any combination of one or more	Acetone	67-64-1	0.28	160.0
	of the following spent solvents:	Benzene	71-43-2	0.14	10.0
	acetone, benzene, n-butyl alcohol,	n-Butyl alcohol	71-36-3	5.6	2.6
	carbon disulfide, carbon	Carbon disulfide	75-15-0	3.8	NA
	tetrachloride, chlorinated	Carbon tetrachloride	56-23-5	0.057	6.0
	fluorocarbons, chlorobenzene,	Chlorobenzene	108-90-7	0.057	6.0
	o-cresol, m-cresol, p-cresol,	o-Cresol	95-48-7	0.11	5.6

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	cyclohexanone, o-dichlorobenzene,	m-Cresol (difficult to distinguish from <u>p-</u> Cresol)	108-39-4	0.77	5.6
	2-ethoxyethanol, ethyl acetate, ethyl benzene, ethyl ether, isobutyl alcohol, methanol,	p-Cresol (difficult to distinguish from m-Cresol)	106-44-5	0.77	5.6
	cyclohexanone, o-dichlorobenzene, 2-ethoxyethanol, ethyl acetate, ethyl benzene, ethyl ether,	Cresol- mixed isomers (Cresylic acid) (sum of o-, m-, and p-Cresol concentrations)	1319-77-3	0.88	11.2
	isobutyl alcohol, methanol,	Cyclohexanone	108-94-1	0.36	NA
	methylene chloride, methyl ethyl	o-Dichlorobenzene	95-50-1	0.088	6.0
	ketone, methyl isobutyl ketone,	Ethyl acetate	141-78-6	0.34	33.0
	nitrobenzene, 2-nitropane,	Ethyl benzene	100-41-4	0.057	10.0
	pyridine, tetrachloroethylene,	Ethyl ether	60-29-7	0.12	160.0
	toluene, 1,1,1-trichloroethane,	Isobutyl alcohol	78-83-1	5.6	170.0
	1,1,2-trichloroethane,	Methanol	67-56-1	5.6	NA
	1,1,2-trichloro-1,2,2-trifluoroethane, trichloroethane,	Methylene chloride	75-9-2	0.089	30.0
	trichloroethylene,	Methyl ethyl ketone	78-93-3	0.28	36.0
	trochloromono-fluoromethane,	Methyl isobutyl ketone	108-10-1	0.14	33.0
	and/oror xylenes (except as	Nitrobenzene	98-95-3	0.068	14.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	specifically noted in other	Pyridine	110-86-1	0.014	16.0
	subcategories). See further details	Tetrachloroethylene	127-18-4	0.056	6.0
	of these listings in rule	Toluene	108-88-3	0.08	10.0
	3745-51-31 of the Administrative	1,1,1-Trichloroethane	71-55-6	0.054	6.0
	Code.	1,1,2-Trichloroethane	79-00-5	0.054	6.0
		1,1,2-Trichloro-1,2,2- trifluoroethane	76-13-1	0.057	30.0
		Trichloroethylene	79-01-6	0.054	6.0
		Trichloromono- fluoromethane	75-69-4	0.02	30.0
		Xylenes- mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30.0
	F003 and/oror F005 solvent wastes that contain any combination of one or more of	Carbon disulfide	75-15-0	3.8	4.8 mg/lmg/L TCLP
	the following three solvents as the only listed F001 to F005 solvents: carbon disulfide,	Cyclohexanone	108-94-1	0.36	0.75 mg/lmg/L TCLP
	cyclohexanone, and/oror methanol. F005 solvent waste	Methanol	67-56-1	5.6	0.75 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA				_	Concentration ⁵ in
hazardous	Waste description and		2	Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	$\frac{\text{mg/l} \text{mg/L}}{\text{i}}$; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code ⁴	technology code ⁴
	containing 2-Nitropropane as the	2-Nitropropane	79-46-9	(WETOX or	CMBST
	only listed F001 to F005 solvent.			CHOXD) fb CARBN;	
	F005 solvent waste containing			or CMBST	
	2-Ethoxyethanol as the only listed	2-Ethoxyethanol	110-80-5	BIOGDBIODG; or	CMBST
	F001 to F005 solvent.			CMBST	
F006	Wastewater treatment sludges from electroplating operations	Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
	except from the following processes: (1) sulfuric acid	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc	Cyanides (total) ⁷	57-12-5	1.2	590.0
	plating (segregated basis) on carbon steel; (4) aluminum or	Cyanides (amenable) ⁷	57-12-5	0.86	30.0
	zinc-aluminum plating on carbon steel; (5) cleaning/stripping cleaning or stripping associated	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	with tin, zinc, and aluminum plating on carbon steel; and	Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
	(6) chemical etching and milling of aluminum	Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
F007	Spent cyanide plating bath	Cadmium	7440-43-9	NA	0.11 mg/lmg/L TCLP
	solutions from electroplating	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	operations	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/l mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process	Cadmium	7440-43-9	NA	0.11 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
	eyamaes are used in the process	Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Silver	7440-22-4	NA	0.14 <u>mg/lmg/L</u> TCLP
F009	Spent stripping and cleaning bath	Cadmium	7440-43-9	NA	0.11 <u>mg/lmg/L</u> TCLP
	solutions from electroplating	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	operations where cyanides are used in the process	Cyanides (total) ⁷	57-12-5	1.2	590.0
	asea in the process	Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste	Waste description and treatment/regulatorytreatment or		CAS ²	Concentration ³ in mg/lmg/L; or	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code ⁴
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP
F010	Quenching bath residues from oil baths from metal heat treating	Cyanides (total) ⁷	57-12-5	1.2	590.0
	operations where cyanides are used in the process	Cyanides (amenable) ⁷	57-12-5	0.86	NA
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations such phosphating is an exclusive conversion coating process	Cadmium	7440-43-9	NA	0.11 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP
F012	Quenching wastewater treatment	Cadmium	7440-43-9	NA	0.11 mg/lmg/L TCLP
	sludges from metal heat treating	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	operations where cyanides are	Cyanides (total) ⁷	57-12-5	1.2	590.0
	used in the process	Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
F019	Wastewater treatment sludges from the chemical conversion	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	coating of aluminum except from zirconium phosphating in	Cyanides (total) ⁷	57-12-5	1.2	590.0
	aluminum can washing when such phosphating is an exclusive conversion coating process	Cyanides (amenable) ⁷	57-12-5	0.86	30.0
	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use	HxCDDs (all Hexachlorodibenzo-p- dioxins)	NA	0.000063	0.001
	(as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenol, or of	HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
	intermediates used to produce their pesticide derivatives, excluding wastes from the production of Hexachlorophene	PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001
	from highly purified 2,4,5- trichlorophenol (F020); (2) pentachlorophenol, or of	PeCDFs (all Pentachlorodibenzo furans)	NA	0.000035	0.001

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	intermediates used to produce its derivatives (i.e., F021); (3) tetra-, penta-, or hexachlorobenzenes	Pentachlorophenol	87-86-5	0.089	7.4
	under alkaline conditions (i.e., F022); and from the production of materials on equipment previously used for the	TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001
	production or manufacturing use (as a reactant, chemical intermediate, or a component in a formulating process) of: (1) tri-	TCDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001
	or wastes from equipment used only for the production of	2,4,5-Trichlorophenol	95-95-4	0.18	7.4
	Hexachlorophene from highly purified 2,4,5-trichlorophenol	2,4,6-Trichlorophenol	88-06-2	0.035	7.4
	(F023); (2) tetra-, penta-, or tetrachlorophenols, excluding hexa-chlorobenzenes under alkaline conditions (i.e., F026)	2,3,4,6- Tetrachlorophenol	58-90-2	0.03	7.4

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
F024	Process wastes, including but not limited to, distillation residues,	all F024 wastes	NA	CMBST ¹¹	CMBST 11
	heavy ends, tars, and reactor clean-out wastes from the	2-Chloro-1,3- butadiene	126-99-8	0.057	0.28
	production of certain chlorinated aliphatic hydrocarbons by free	3-Chloropropylene	107-05-1	0.036	30.0
	radical catalyzed processes. These chlorinated aliphatic	1,1-Dichloroethane	75-34-3	0.059	6.0
	hydrocarbons are those having carbon chain lengths ranging	1,2-Dichloroethane	107-06-2	0.21	6.0
	from one to and including five, with varying amounts and	1,2-Dichloropropane	78-87-5	0.85	18.0
	positions of chloride substitution (This listing does not include	cis-1,3- Dichloropropylene	10061-01-5	0.036	18.0
	wastewaters, wastewater treatment sludges spent catalysts,	trans-1,3- Dichloropropylene	10061-02-6	0.036	18.0
	or wastes listed in rule 3745-51-31 or 3745-51-32 of the	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
	Administrative Code.)	Hexachloroethane	67-72-1	0.055	30.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
F025	Condensed light ends from the production of certain chlorinated	Carbon tetrachloride	56-23-5	0.057	6.0
	aliphatic hydrocarbons by free radical catalyzed processes.	Chloroform	67-66-3	0.046	6.0
	These chlorinated aliphatic hydrocarbons are those having	1,2-Dichloroethane	107-06-2	0.21	6.0
	carbon chain lengths ranging	1,1-Dichloroethylene	75-35-4	0.025	6.0
	from one to and including five,	Methylene chloride	75-9-2	0.089	30.0
	with varying amounts and	1,1,2-Trichloroethane	79-00-5	0.054	6.0
	positions of chlorine substitution.	Trichloroethylene	79-01-6	0.054	6.0
	F025- light ends subcategory	Vinyl chloride	75-01-4	0.27	6.0
	Spent filters and filter aids, and spent dessicant wastes from the	Carbon tetrachloride	56-23-5	0.057	6.0
	production of certain chlorinated aliphatic hydrocarbons by free	Chloroform	67-66-3	0.046	6.0
	radical catalyzed processes. These chlorinated aliphatic	Hexachlorobenzene	118-74-1	0.055	10.0
	hydrocarbons are those having carbon chain lengths ranging	Hexachlorobutadiene	87-68-3	0.055	5.6
	from one to and including five,	Hexachloroethane	67-72-1	0.055	30.0
	with varying amounts and	Methylene chloride	75-9-2	0.089	30.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	positions of chlorine substitution.	1,1,2-Trichloroethane	79-00-5	0.054	6.0
	F025- spent filters/aidsfilters or	Trichloroethylene	79-01-6	0.054	6.0
	aids and dessicants subcategory.	Vinyl chloride	75-01-4	0.27	6.0
F027	Discarded unused formulations containing tri-, tetra-, or pentachlorophenol or discarded	HxCDDs (all Hexachlorodibenzo-p- dioxins)	NA	0.000063	0.001
	unused formulations containing compounds derived from these chlorophenols. (This listing does	HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
	not include formulations containing hexachlorophene synthesized from prepurified	PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001
	2,4,5- trichlorophenol as the sole component.)	PeCDFs (all Pentachlorodibenzo furans)	NA	0.000035	0.001
		Pentachlorophenol	87-86-5	0.089	7.4
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		TCDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		2,3,4,6- Tetrachlorophenol	58-90-2	0.03	7.4
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA	HxCDDs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
	hazardous waste numbers F020, F021, F023, F026, and F027.	HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		PeCDFs (all Pentachlorodibenzo furans)	NA	0.000035	0.001
		Pentachlorophenol	87-86-5	0.089	7.4
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		TCDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
F032	Wastewaters (except those that	Acenaphthene	83-32-9	0.059	3.4
	have not come into contact with	Anthracene	120-12-7	0.059	3.4
	process contaminants), process	Benz(a)anthracene	56-55-3	0.059	3.4
	residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that currently	Benzo(b)fluoranthene [difficult to distinguish from benzo(k)fluoranthene]	205-99-2	0.11	6.8
	use or previously used chlorophenolic formulations [except potentially cross-contaminated wastes that have	Benzo(k)fluoranthene [difficult to distinguish from benzo(b)fluoranthene]	207-08-9	0.11	6.8
	had the F032 EPA hazardous	Benzo(a)pyrene	50-32-8	0.061	3.4
	waste number deleted in	Chrysene	218-01-9	0.059	3.4
	accordance with rule 3745-51-35	Dibenz(a,h)anthracene	53-70-3	0.055	8.2

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	of the Administrative Code or potentially cross-contaminated	2 4 Dimethyl phenol 2,4-Dimethyl phenol	105-67-9	0.036	14.0
	wastes that are otherwise	Fluorene	86-73-7	0.059	3.4
	currently regulated as hazardous wastes (i.e., F034 or F035), and	Hexachlorodibenzo-p- dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
	where the generator does not resume or initiate use of	Hexachlorodibenzofurans	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
	chlorophenolic formulations].	Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
	This listing does not include	Naphthalene	91-20-3	0.059	5.6
	K001 bottom sediment sludge from the treatment of wastewater	Pentachlorodibenzo-p- dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
	that use creosote and/oror pentachlorophenol.	Pentachlorodibenzofurans	NA	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹
		Pentachlorophenol	87-86-5	0.089	7.4
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Tetrachlorodibenzo-p- dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		Tetrachlorodibenzofurans	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous	Waste description and			Concentration ³ in	Concentration 5 in mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/lmg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory ¹	Common name	number	technology code ⁴	technology code ⁴
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
F034	Wastewaters (except those that	Acenaphthene	83-32-9	0.059	3.4
	have not come into contact with	Anthracene	120-12-7	0.059	3.4
	process contaminants), process	Benz(a)anthracene	56-55-3	0.059	3.4
	residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that use	Benzo(b)fluoranthene [difficult to distinguish from benzo(k)fluoranthene]	205-99-2	0.11	6.8
	creosote formulations. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from	Benzo(k)fluoranthene [difficult to distinguish from benzo(b)fluoranthene]	207-08-9	0.11	6.8
	wood preserving processes that	Benzo(a)pyrene	50-32-8	0.061	3.4
	use creosote and/oror	Chrysene	218-01-9	0.059	3.4
	pentachlorophenol.	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Fluorene	86-73-7	0.059	3.4
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
		Naphthalene	91-20-3	0.059	5.6

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
F035	Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that use	Arsenic	7440-38-2	1.4	5.0 mg/1 mg/L TCLP
	inorganic preservatives containing arsenic or chromium. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote and/oror pentachlorophenol.	Chromium (total)	7440-47-3	2.77	0.6 mg/l mg/L TCLP

		Regulated hazardous c	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
F037	Petroleum refinery primary	Acenaphthene	83-32-9	0.059	NA
	oil/water/solidsoil or water or solids separation sludge.	Anthracene	120-12-7	0.059	3.4
	Any sludge generated from the gravitational separation of	Benzene	71-43-2	0.14	10.0
	oil/water/solidsoil or water or solids during the storage or	Benz(a)anthracene	56-55-3	0.059	3.4
	treatment of process wastewaters and oily cooling wastewaters	Benzo(a)pyrene	50-32-8	0.061	3.4
	from petroleum refineries. Such sludges include, but are not	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
	limited to, those generated in oil/water/solidsoil or water or	Chrysene	218-01-9	0.059	3.4
	solids separators; tanks and impoundments; ditches and other	Di-n-butyl phthalate	84-74-2	0.057	28.0
	conveyances; sumps; and stormwater units receiving dry	Ethyl benzene	100-41-4	0.057	10.0
	weather flow. Sludges generated in stormwater units that do not	Fluorene	86-73-7	0.059	NA
	receive dry weather flow, sludges generated from non-contact	Naphthalene	91-20-3	0.059	5.6

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	once-through cooling waters segregated for treatment from	Phenanthrene	85-01-8	0.059	5.6
	other process or oily cooling waters, sludges generated in	Phenol	108-95-2	0.039	6.2
	"aggressive biological treatment units" as defined in paragraph	Pyrene	129-00-0	0.067	8.2
	(B)(2) of rule 3745-51-31 of the Administrative Code (including	Toluene	108-88-3	0.08	10.0
	sludges generated in one or more additional units after wastewaters have been treated in aggressive	Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
	biological treatment units) and have been treated in aggressive	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	biological treatment units) and	Cyanides (total) ⁷	57-12-5	1.2	590.0
	K051 wastes are not included in	Lead	7439-92-1	0.69	NA
	this listing.	Nickel	7440-02-0	NA	11.0 mg/lmg/L TCLP
F038	Petroleum refinery secondary (emulsified) oil/water/solids	Benzene	71-43-2	0.14	10.0
	oil or water or solids separation sludge and/oror float generated	Benzo(a)pyrene	50-32-8	0.061	3.4

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	from the physical and/oror chemical separation of	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
	oil/water/solidsoil or water or solids in process wastewaters and	Chrysene	218-01-9	0.059	3.4
	oily cooling wastewaters from petroleum refineries. Such waste	Di-n-butyl phthalate	84-74-2	0.057	28.0
	include, but are not limited to, all sludges and floats generated in:	Ethylbenzene	100-41-4	0.057	10.0
	induced air flotation (IAF) units; tanks and impoundments; and all	Fluorene	86-73-7	0.059	NA
	sludges generated in DAF units. Sludges generated in stormwater	Naphthalene	91-20-3	0.059	5.6
	units that do not receive dry weather flow, sludges generated	Phenanthrene	85-01-8	0.059	5.6
	from non-contact once-through cooling waters segregated for	Phenol	108-95-2	0.039	6.2
	treatment from other process or oily cooling waters, sludges and	Pyrene	129-00-0	0.067	8.2
	floats generated in "aggressive biological treatment units" as	Toluene	108-88-3	0.08	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA	Wests description and			Concentration ³ in	Concentration ⁵ in
hazardous	Waste description and		CAS ²		mg/kg unless noted as
waste	treatment/regulatorytreatment or	Common nome		$\frac{\text{mg/l} \text{mg/L}}{\text{to almost a set and a}^4}$	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code ⁴	technology code 4
	defined in paragraph (B)(2) of	Xylenes- mixed isomers	1330-20-7	0.32	30.0
	rule 3745-51-31 of the	(sum of o-, m-, and p-			
	Administrative Code (including	xylene concentrations)			
	sludges and floats generated in	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	one or more additional units after				
	wastewaters have been treated in aggressive biological treatment	Cyanides (total) ⁷	57-12-5	1.2	590.0
	units) and F037, K048, and K051	Lead	7439-92-1	0.69	NA
	wastes are not included in this				
	listing.	Nickel	7440-02-0	NA	11.0 mg/l <u>mg/L</u> TCLP
F039	Leachate (liquids that have	Acenaphthylene	208-96-8	0.059	3.4
	percolated through land disposed	Acenaphthene	83-32-9	0.059	3.4
	wastes) resulting from the	Acetone	67-64-1	0.28	160.0
	disposal of more than one	Acetonitrile	75-05-8	5.6	NA
	restricted waste classified as	Acetophenone	96-86-2	0.01	9.7
	hazardous under rules	2-Acetylaminofluorine	53-96-3	0.059	140.0
	3745-270-40 to 3745-270-49 of	Acrolein	107-02-8	0.29	NA
	the Administrative Code.	Acrylonitrile	107-13-1	0.24	84.0
	(Leachate resulting from the	Aldrin	309-00-2	0.021	0.066
	disposal of one or more of the	4-Aminobiphenyl	92-67-1	0.13	NA

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	following EPA hazardous wastes	Aniline	62-53-3	0.81	14.0
	and no other hazardous wastes retains its EPA hazardous	o-Anisidine (2-methoxyaniline)	90-04-0	0.010	0.66
	waste number(s)numbers: F020,	Anthracene	120-12-7	0.059	3.4
	F021, F022, F026, F027,	Aramite	140-57-8	0.36	NA
	and/oror F028.)	alpha-BHC	319-84-6	0.00014	0.066
		beta-BHC	319-85-7	0.00014	0.066
		delta-BHC	319-86-8	0.023	0.066
		gamma-BHC	58-89-9	0.0017	0.066
		Benzene	71-43-2	0.14	10.0
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(b)fluoranthene [difficult to distinguish from benzo(k)fluoranthene]	205-99-2	0.11	6.8
		Benzo(k)fluoranthene [difficult to distinguish from benzo(b)fluoranthene]	207-08-9	0.11	6.8
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Benzo(a)pyrene	50-32-8	0.061	3.4

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Bromodichloromethane	75-27-4	0.35	15.0
		Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
		4-Bromophenyl phenyl ether	101-55-3	0.055	15.0
		n-Butyl alcohol	71-36-3	5.6	2.6
		Butyl benzyl phthalate	85-68-7	0.017	28.0
		2-sec-Butyl-4,6- dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
		Carbon disulfide	75-15-0	3.8	NA
		Carbon tetrachloride	56-23-5	0.057	6.0
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
		p-Chloroaniline	106-47-8	0.46	16.0
		Chlorobenzene	108-90-7	0.057	6.0
		Chlorobenzilate	510-15-6	0.1	NA
		2-Chloro-1,3-butadiene	126-99-8	0.057	NA
		Chlorodibromomethane	124-48-1	0.057	15.0
		Chloroethane	75-00-3	0.27	6.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		bis(2-Chloroethoxy) methane	111-91-1	0.036	7.2
		bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
		Chloroform	67-66-3	0.046	6.0
		bis(2-Chloroisopropyl) ether	39638-32-9	0.055	7.2
		p-Chloro-m-cresol	59-50-7	0.018	14.0
		Chloromethane (Methyl chloride)	74-87-3	0.19	30.0
		2-Chloronaphthalene	91-58-7	0.055	5.6
		2-Chlorophenol	95-57-8	0.044	5.7
		3-Chloropropylene	107-05-1	0.036	30.0
		Chrysene	218-01-9	0.059	3.4
		p-Cresidine	120-71-8	0.010	0.66
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		Cyclohexanone	108-94-1	0.36	NA

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		1,2-Dibromo-3- Chloropropane	96-12-8	0.11	15.0
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15.0
		Dibromomethane	74-95-3	0.11	15.0
		2,4-D (2,4- Dichloro phenoxyacetic acid)	94-75-7	0.72	10.0
		o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-54-8	0.023	0.087
		o,p'-DDE	3424-82-6	0.031	0.087
		p,p'-DDE	72-55-9	0.031	0.087
		o,p'-DDT	789-02-6	0.0039	0.087
		p,p'-DDT	50-29-3	0.0039	0.087
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Dibenz(a,e)pyrene	192-65-4	0.061	NA
		m-Dichlorobenzene	541-73-1	0.036	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.09	6.0
		Dichlorodifluoromethane	75-71-8	0.23	7.2
		1,1-Dichloroethane	75-34-3	0.059	6.0

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		1,2-Dichloroethane	107-06-2	0.21	6.0
		1,1-Dichloroethylene	75-35-4	0.025	6.0
		trans-1,2- Dichloroethylene	156-60-5	0.054	30.0
		2,4-Dichlorophenol	120-83-2	0.044	14.0
		2,6-Dichlorophenol	87-65-0	0.044	14.0
		1,2-Dichloropropane	78-87-5	0.85	18.0
		cis-1,3-Dichloro propylene	10061-01-5	0.036	18.0
		trans-1,3- Dichloropropylene	10061-02-6	0.036	18.0
		Dieldrin	60-57-1	0.017	0.13
		Diethyl phthalate	84-66-2	0.2	28.0
		2,4-Dimethylaniline (2,4-xylidine)	95-68-1	0.010	0.66
		2,4-Dimethyl phenol	105-67-9	0.036	14.0
		Dimethyl phthalate	131-11-3	0.047	28.0
		Di-n-butyl phthalate	84-74-2	0.057	28.0
		1,4-Dinitrobenzene	100-25-4	0.32	2.3
		4,6-Dinitro-o-cresol	534-52-1	0.28	160.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		2,4-Dinitrophenol	51-28-5	0.12	160.0
		2,4-Dinitrotoluene	121-14-2	0.32	140.0
		2,6-Dinitrotoluene	606-20-2	0.55	28.0
		Di-n-octyl phthalate	117-84-0	0.017	28.0
		Di-n-propylnitrosamine	621-64-7	0.4	14.0
		1,4-Dioxane	123-91-1	12.0	170.0
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	NA
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	NA
		1,2-Diphenylhydrazine	122-66-7	0.087	NA
		Disulfoton	298-04-4	0.017	6.2
		Endosulfan I	939-98-8	0.023	0.066
		Endosulfan II	33213-6-5	0.029	0.13
		Endosulfan sulfate	1031-07-8	0.029	0.13
		Endrin	72-20-8	0.0028	0.13
		Endrin aldehyde	7421-93-4	0.025	0.13
		Ethyl acetate	141-78-6	0.34	33.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360.0
		Ethyl benzene	100-41-4	0.057	10.0
		Ethyl ether	60-29-7	0.12	160.0
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
		Ethyl methacrylate	97-63-2	0.14	160.0
		Ethylene oxide	75-21-8	0.12	NA
		Famfur	52-85-7	0.017	15.0
		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	0.059	3.4
		Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
		1,2,3,4,6,7,8- Heptachlorodibenzo-p- dioxin (1,2,3,4,6,7,8-HpCCD)	35822-46-9	0.000035	0.0025
		1,2,3,4,6,7,8- Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035	0.0025

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		1,2,3,4,7,8,9- Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035	0.0025
		Hexachlorobenzene	118-74-1	0.055	10.0
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloro cyclopentadiene	77-47-4	0.057	2.4
		HxCDDs (all Hexachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
		Hexachloroethane	67-72-1	0.055	30.0
		Hexachloropropylene	1888-71-7	0.035	30.0
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
		Iodomethane	74-88-4	0.19	65.0
		Isobutyl alcohol	78-83-1	5.6	170.0
		Isodrin	465-73-6	0.021	0.066
		Isosafrole	120-58-1	0.081	2.6
		Kepone	143-50-8	0.0011	0.13

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Methacryonitrile	126-98-7	0.24	84.0
		Methanol	67-56-1	5.6	NA
		Methapyrilene	91-80-5	0.081	1.5
		Methoxychlor	72-43-5	0.25	0.18
		3-Methylcholanthrene	56-49-5	0.0055	15.0
		4,4-Methylene bis(2-chloroaniline)	101-14-4	0.5	30.0
		Methylene chloride	75-09-2	0.089	30.0
		Methyl ethyl ketone	78-93-3	0.28	36.0
		Methyl isobutyl ketone	108-10-1	0.14	33.0
		Methyl methacrylate	80-62-6	0.14	160.0
		Methyl methansulfonate	66-27-3	0.018	NA
		Methyl parathion	290-00-0	0.014	4.6
		Naphthalene	91-20-3	0.059	5.6
		2-Naphthylamine	91-59-8	0.52	NA
		p-Nitroaniline	100-01-6	0.028	28.0
		Nitrobenzene	98-95-3	0.068	14.0
		5-Nitro-0-toluidine	99-55-8	0.32	28.0
		p-Nitrophenol	100-02-7	0.12	29.0
		N-Nitrosodiethylamine	55-18-5	0.4	28.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		N-Nitrosodimethylamine	62-75-9	0.4	NA
		N-Nitroso-di-n- butylamine	924-16-3	0.4	17.0
		N-Nitrosomethylethyl amine	10595-95-6	0.4	2.3
		N-Nitrosomorpholine	59-89-2	0.4	2.3
		N-Nitrosopiperidine	100-75-4	0.013	35.0
		N-Nitrosopyrrolidine	930-55-2	0.013	35.0
		1,2,3,4,6,7,8,9- Octachlorodibenzo-p- dioxin (OCDD)	3268-87-9	0.000063	0.0025
		1,2,3,4,6,7,8,9- Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063	0.005
		Parathion	56-38-2	0.014	4.6
		Total PCBs (sum of all PCB isomers, or all aroclors)	1336-36-3	0.1	10.0
		Pentachlorobenzene	608-93-5	0.055	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		PeCDFs (all Pentachlorodibenzo furans)	NA	0.000035	0.001
		Pentachloronitrobenzene	82-68-8	0.055	4.8
		Pentachlorophenol	87-86-5	0.089	7.4
		Phenacetin	62-44-2	0.081	16
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		1,3-Phenylenediamine	108-45-2	0.010	0.66
		Phorate	298-02-2	0.021	4.6
		Phthalic anhydride	85-44-9	0.055	NA
		Pronamide	23950-58-5	0.093	1.5
		Pyrene	129-00-0	0.067	8.2
		Pyridine	110-86-1	0.014	16.0
		Safrole	94-59-7	0.081	22.0
		Silvex (2,4,5-TP)	93-72-1	0.72	7.9
		2,4,5-T	93-76-5	0.72	7.9

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		TCDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
		Toluene	108-88-3	0.08	10.0
		Toxaphene	8001-35-2	0.0095	2.6
		Bromoform (Tribromomethane)	75-25-2	0.63	15.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ²	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Trichloromono fluoromethane	75-69-4	0.02	30.0
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		1,2,3-Trichloropropane	96-18-4	0.85	30.0
		1,1,2-Trichloro- 1,2,2-trifluoroethane	76-13-1	0.057	30.0
		tris(2,3-Dibromopropyl) phosphate	126-72-7	0.11	NA
		Vinyl chloride	75-01-4	0.27	6.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP
		Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
		Barium	7440-39-3	1.2	21.0 mg/lmg/L TCLP
		Beryllium	7440-41-7	0.82	NA
		Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Cyanides (amenable) ⁷	57-12-5	0.86	NA
		Fluoride	16964-48-8	35.0	NA
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Mercury	7439-97-6	0.15	0.025 mg/l mg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
		Silver	7440-22-4	0.43	0.14 mg/lmg/L TCLP
		Sulfide	8496-25-8	14.0	NA
		Thallium	7440-28-0	1.4	NA
		Vanadium	7440-62-2	4.3	NA
K001	Bottom sediment sludge from the	Naphthalene	91-20-3	0.059	5.6
	treatment of wastewaters from	Pentachlorophenol	87-86-5	0.089	7.4
	wood preserving processes that	Phenanthrene	85-01-8	0.059	5.6
	use creosotes and/oror	Pyrene	129-00-0	0.067	8.2
	pentachlorophenol	Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K002	Wastewater treatment sludge from the production of chrome	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	yellow and orange pigments	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K003	Wastewater treatment sludge from the production of molybdate	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	orange pigments	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K004	Wastewater treatment sludge from the production of zinc	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	yellow pigments	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K005	Wastewater treatment sludge	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	from the production of chrome	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	green pigments	Cyanides (total) ⁷	57-12-5	1.2	590.0
K006	Wastewater treatment sludge from the production of chrome	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	oxide green pigments (anhydrous)	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	Wastewater treatment sludge from the production of chrome	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	oxide green pigments (hydrated)	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K007	Wastewater treatment sludge	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	from the production of iron blue	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	pigments	Cyanides (total) ⁷	57-12-5	1.2	590.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K008	Oven residues from the production of chrome oxide	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	green pigments	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K009	Distillation bottoms from the production of acetaldehyde from ethylene	Chloroform	67-66-3	0.046	6.0
K010	Distillation side cuts from the production of acetaldehyde from ethylene	Chloroform	67-66-3	0.046	6.0
K011	Bottom stream from the	Acetonitrile	75-05-8	5.6	38.0
	wastewater stripper in the	Acrylonitrile	107-13-1	0.24	84.0
	production of acrylonitrile	Acrylamide	79-06-1	19.0	23.0
		Benzene	71-43-2	0.14	10.0
		Cyanide (total)	57-12-5	1.2	590.0
K013	Bottom stream from the	Acetonitrile	75-05-8	5.6	38.0
	acetonitrile column in the	Acrylonitrile	107-13-1	0.24	84.0
	production of acrylonitrile	Acrylamide	79-06-1	19.0	23.0
		Benzene	71-43-2	0.14	10.0
		Cyanide (total)	57-12-5	1.2	590.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous	Waste description and treatment/regulatorytreatment or		CAS ²	Concentration ³ in mg/lmg/L; or	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or
waste number	regulatory subcategory 1	Common name	number	technology code ⁴	technology code ⁴
K014	Bottoms from the acetonitrile	Acetonitrile	75-05-8	5.6	38.0
	purification column in the	Acrylonitrile	107-13-1	0.24	84.0
	production of acrylonitrile	Acrylamide	79-06-1	19.0	23.0
		Benzene	71-43-2	0.14	10.0
		Cyanide (total)	57-12-5	1.2	590.0
K015	Still bottoms from the distillation	Anthracene	120-12-7	0.059	3.4
	of benzyl chloride	Benzal chloride	98-87-3	0.055	6.0
		Benzo(b)fluoranthene [difficult to distinguish from benzo(k)fluoranthene]	205-99-2	0.11	6.8
		Benzo(k)fluoranthene [difficult to distinguish from benzo(b)fluoranthene]	207-08-9	0.11	6.8
		Phenanthrene	85-01-8	0.059	5.6
		Toluene	108-88-3	0.08	10.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/l mg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K016	Heavy ends or distillation	Hexachlorobenzene	118-74-1	0.055	10.0
	residues from the production of	Hexachlorobutadiene	87-68-3	0.055	5.6
	carbon tetrachloride	Hexachloro cyclopentadiene	77-47-4	0.057	2.4
		Hexachloroethane	67-72-1	0.055	30.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1-Dichloroethane	75-34-3	0.059	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
K017	Heavy ends (still bottoms) from	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
	the purification column in the	1,2-Dichloropropane	78-87-5	0.85	18.0
	production of epichlorohydrin	1,2,3-Trichloropropane	96-18-4	0.85	30.0
K018	Heavy ends from the	Chloroethane	75-00-3	0.27	6.0
	fractionation column in ethyl	Chloromethane	74-87-3	0.19	NA
	chloride production	1,1-Dichloroethane	75-34-3	0.059	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		Hexachlorobenzene	118-74-1	0.055	10.0
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30.0
		Pentachloroethane	76-01-7	NA	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA	Wests description and			Concentration ³ in	Concentration ⁵ in
hazardous	Waste description and		CAS ²		mg/kg unless noted as
waste number	treatment/regulatorytreatment or regulatory subcategory 1	Common name	number	mg/lmg/L; or technology code 4	"mg/lmg/L TCLP"; or technology code 4
K019	Heavy ends from the distillation	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
	of ethylene dichloride in thylene	Chlorobenzene	108-90-7	0.057	6.0
	dichloride production	Chloroform	67-66-3	0.046	6.0
		p-Dichlorobenzene	106-46-7	0.09	NA
		1,2-Dichloroethane	107-06-2	0.21	6.0
		Fluorene	86-73-7	0.059	NA
		Hexachloroethane	67-72-1	0.055	30.0
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		1,2,4,5-	95-94-3	0.055	NA
		Tetrachlorobenzene			
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichloroethane	120-82-1	0.055	19.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
K020	Heavy ends from the distillation	1,2-Dichloroethane	107-06-2	0.21	6.0
	of vinyl chloride in vinyl chloride	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
	monomer production	Tetrachloroethylene	127-18-4	0.056	6.0
K021	Aqueous spent antimony catalyst	Carbon tetrachloride	56-23-5	0.057	6.0
	waste from fluoromethanes	Chloroform	67-66-3	0.046	6.0
	production	Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K022	Distillation bottom tars from the	Toluene	108-88-3	0.08	10.0
	production of phenol/acetone	Acetophenone	96-86-2	0.01	9.7
	phenol or acetone from cumene	Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13.0
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13.0
		Phenol	108-95-2	0.039	6.2
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
K023	Distillation light ends from the production of phthalic anhydride from paphthalene	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	100-21-0	0.055	28.0
		Phthalic anhydride (measured as phthalic acid or terephthalic acid)	85-44-9	0.055	28.0
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	100-21-0	0.055	28.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Phthalic anhydride (measured as phthalic acid or terephthalic acid)	85-44-9	0.055	28.0
K025	Distillation bottoms from the production of nitrobenzenes by the nitration of benzene	NA	NA	LLEXT fb SSTRP fb CARBN; or CMBST	CMBST
K026	Stripping still tails from the production of methyl ethyl pyridines	NA	NA	CMBST	CMBST
K027	Centrifuge and distillation residues from toluene diisocyanate production	NA	NA	CARBN; or CMBST	CMBST
K028	Spent catalyst from the	1,1-Dichloroethane	75-34-3	0.059	6.0
	hydrochlorinator reactor in the production of	trans-1,2- Dichloroethylene	156-60-5	0.054	30.0
	1,1,1-trichloroethane	Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30.0
		Pentachloroethane	76-01-7	NA	6.0
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA	XX			G 3 ·	Concentration ⁵ in
hazardous	Waste description and		CAS ²	Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or	C		$\frac{\text{mg/l} \text{mg/L}}{\text{to almost a set of } 4}$	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Cadmium	7440-43-9	0.69	NA
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
K029	Waste from the product steam	Chloroform	67-66-3	0.046	6.0
	stripper in the production of	1,2-Dichloroethane	107-06-2	0.21	6.0
	1,1,1-trichloroethane	1,1-Dichloroethylene	75-35-4	0.025	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Vinyl chloride	75-01-4	0.27	6.0
K030	Column bodies or heavy ends	o-Dichlorobenzene	95-50-1	0.088	NA
	from the combined production of	p-Dichlorobenzene	106-46-7	0.09	NA
	trichloroethylene and	Hexachlorobutadiene	87-68-3	0.055	5.6
	perchloroethylene	Hexachloroethane	67-72-1	0.055	30.0
		Hexachloropropylene	1888-71-7	NA	30.0
		Pentachlorobenzene	608-93-5	NA	10.0
		Pentachloroethane	76-01-7	NA	6.0
		1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19.0
K031	By-product salts generated in the production of MSMA and cacodylic acid	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
K032	Wastewater treatment sludge from the production of	Hexachloro cyclopentadiene	77-47-4	0.057	2.4
	chlordane	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
		Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane	Hexachloro cyclopentadiene	77-47-4	0.057	2.4
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane	Hexachloro cyclopentadiene	77-47-4	0.057	2.4
K035	Wastewater treatment sludges	Acenaphthene	83-32-9	NA	3.4
	generated in the production of	Anthracene	120-12-7	NA	3.4
	creosote	Benz(a)anthracene	56-55-3	0.059	3.4

	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Regulated hazardous co	onstituent Wastewaters		Nonwastewaters
EPA hazardous waste number		Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Chrysene	218-01-9	0.059	3.4
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-Cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-Cresol)	106-44-5	0.77	5.6
		Dibenz(a,h)anthacene	53-70-3	NA	8.2
		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	NA	3.4
		Indeno(1,2,3-cd)pyrene Indeno(1,2,3-c,d)pyrene	193-39-5	NA	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	Disulfoton	298-04-4	0.017	6.2

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K037	Wastewater treatment sludges	Disulfoton	298-04-4	0.017	6.2
	from the production of disulfoton	Toluene	108-88-3	0.08	10.0
K038	Wastewater from the washing and stripping of phorate production	Phorate	298-02-2	0.021	4.6
K039	Filter cake from the filtration of diethylphosphorodithioic acid in the production of phorate	NA	NA	CARBN; or CMBST	CMBST
K040	Wastewater treatment sludge from the production of phorate	Phorate	298-02-2	0.021	4.6
K041	Wastewater treatment sludge from the production of toxaphene	Toxaphene	8001-35-2	0.0095	2.6
K042	Heavy ends or distillation	o-Dichlorobenzene	95-50-1	0.088	6.0
	residues from the distillation of	p-Dichlorobenzene	106-46-7	0.09	6.0
	tetrachlorobenzene in the	Pentachlorobenzene	608-93-5	0.055	10.0
	production of 2,4,5-T	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19.0
K043	2,6-Dichlorophenol waste from	2,4-Dichlorophenol	120-83-2	0.044	14.0
	the production of 2,4-D	2,6-Dichlorophenol	187-65-0	0.044	14.0
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4

	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Regulated hazardous co	onstituent Wastewaters		Nonwastewaters
EPA hazardous waste number		Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
		Pentachlorophenol	87-86-5	0.089	7.4
		Tetrachloroethylene	127-18-4	0.056	6.0
		HxCDDs (all Hexachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		PeCDFs (all Pentachlorodibenzo furans)	NA	0.000035	0.001
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		TDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001

		Regulated hazardous of	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	NA	NA	DEACT	DEACT
K045	Spent carbon from the treatment of wastewater containing explosives	NA	NA	DEACT	DEACT
K046	Wastewater treatment sludges from the manufacturing, formulation, and loading of lead-based initiating compounds	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K047	Pink/redPink or red water from TNT operations	NA	NA	DEACT	DEACT
K048	Dissolved air flotation (DAF)	Benzene	71-43-2	0.14	10.0
	float from the petroleum refining	Benzo(a)pyrene	50-32-8	0.061	3.4
	industry	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28.0
		Ethylbenzene	100-41-4	0.057	10.0
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11.0 mg/l mg/L TCLP
K049	Slop oil emulsion solids from the	Anthracene	120-12-7	0.059	3.4
	petroleum refining industry	Benzene	71-43-2	0.14	10.0
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
		Carbon disulfide	75-15-0	3.8	NA
		Chrysene	218-01-9	0.059	3.4
		2,4-Dimethylphenol	105-67-9	0.036	NA
		Ethylbenzene	100-41-4	0.057	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous	Waste description and			Concentration ³ in	Concentration ⁵ in mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/lmg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers	1330-20-7	0.32	30.0
		(sum of o-, m-, and p- xylene concentrations)			
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11.0 mg/lmg/L TCLP
K050	Heat exchanger bundle cleaning	Benzo(a)pyrene	50-32-8	0.061	3.4
	sludge from the petroleum	Phenol	108-95-2	0.039	6.2
	refining industry	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11.0 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K051	API separator sludge from the	Acenaphthene	83-32-9	0.059	NA
	petroleum refining industry	Anthracene	120-12-7	0.059	3.4
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzene	71-43-2	0.14	10.0
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28.0
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	105-67-9	0.057	28.0
		Ethylbenzene	100-41-4	0.057	10.0
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Cyanides (total) ⁷	57-12-5	1.2	590.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11.0 mg/lmg/L TCLP
K052	Tank bottoms (leaded) from the	Benzene	71-43-2	0.14	10.0
	petroleum refining industry	Benzo(a)pyrene	50-32-8	0.061	3.4
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from o-Cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-Cresol)	106-44-5	0.77	5.6
		2,4-Dimethylphenol	105-67-9	0.36	NA
		Ethylbenzene	100-41-4	0.057	10.0
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA	Wester description and			Concentration ³ in	Concentration ⁵ in
hazardous	Waste description and		CAS ²		mg/kg unless noted as
waste	treatment/regulatorytreatment or	C	number	$\frac{\text{mg/l} \text{mg/L}}{\text{to almost a say and a}^4}$	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name		technology code 4	technology code 4
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11.0 mg/l mg/L TCLP
K060	Ammonia still lime sludge from	Benzene	71-43-2	0.14	10.0
	coking operations	Benzo(a)pyrene	50-32-8	0.061	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Cyanides (total) ⁷	57-12-5	1.2	590.0
K061	Emission control dust/sludge	Antimony	7440-36-0	NA	1.15 mg/lmg/L TCLP
	dust or sludge from the primary	Arsenic	7440-38-2	NA	5.0 mg/lmg/L TCLP
	production of steel in electric	Barium	7440-39-3	NA	21.0 mg/lmg/L TCLP
	furnaces	Beryllium	7440-41-7	NA	1.22 mg/lmg/L TCLP
		Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Mercury	7439-97-6	NA	0.025 mg/l mg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Selenium	7782-49-2	NA	5.7 mg/lmg/L TCLP

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Silver	7440-22-4	NA	0.14 mg/lmg/L TCLP
		Thallium	7440-28-0	NA	0.2 mg/lmg/L TCLP
		Zinc	7440-66-6	NA	4.3 mg/lmg/L TCLP
K062	Spent pickle liquor generated by steel finishing operations of	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	facilities within the iron and steel industry (SIC Codes 331X and	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	332X)	Nickel	7440-02-0	3.98	NA
K069	Emission control dust/sludge from secondary lead smelting-	Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
	calcium sulfate (low lead) subcategory	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	Emission control dust/sludge from secondary lead smelting- non-calcium sulfate (high lead) subcategory	NA	NA	NA	RLEAD
K071	K071 (brine purification muds from the mercury cell process in chlorine production, where separate prepurified brine is not used) nonwastewaters that are residues from RMERC	Mercury	7439-97-6	NA	0.2 mg/lmg/L TCLP

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	K071 (brine purification muds from the mercury cell process in chlorine production, where separate prepurified brine is not used) nonwastewaters that are not residues from RMERC	Mercury	7439-97-6	NA	0.2 mg/l mg/L TCLP
	All K071 wastewaters	Mercury	7439-97-6	0.15	NA
K073	Chlorinated hydrocarbon waste	Carbon tetrachloride	56-23-5	0.057	6.0
	from the purification step of the	Chloroform	67-66-3	0.046	6.0
	diaphragm cell process using	Hexachloroethane	67-72-1	0.055	30.0
	graphite anodes in chlorine	Tetrachloroethylene	127-18-4	0.056	6.0
	production	1,1,1-Trichloroethane	71-55-6	0.054	6.0
K083	Distillation bottoms from aniline	Aniline	62-53-3	0.81	14.0
	production	Benzene	71-43-2	0.14	10.0
		Cyclohexanone	108-94-1	0.36	NA
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13.0
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Nitrobenzene	98-95-3	0.068	14.0
		Phenol	108-95-2	0.039	6.2
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
K085	Distillation or fractionation	Benzene	71-43-2	0.14	10.0
	column bottoms from the	Chlorobenzene	108-90-7	0.057	6.0
	production of chlorobenzenes	m-Dichlorobenzene	541-73-1	0.036	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.09	6.0
		Hexachlorobenzene	118-74-1	0.055	10.0
		Total PCBs (sum of all PCB isomers, or all arclors)	1336-36-3	0.1	10.0
		Pentachlorobenzene	608-93-5	0.055	10.0
		1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA				3.	Concentration ⁵ in
hazardous	Waste description and		~ · ~ 2	Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	$\frac{\text{mg/l} \text{mg/L}}{\text{mg/L}}$; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
K086	Solvent waste and sludges,	Acetone	67-64-1	0.28	160.0
	caustic washes and sludges, or	Acetophenone	96-86-2	0.01	9.7
	water washes and sludges from	bis(2-Ethylhexyl)	117-81-7	0.28	28.0
	cleaning tubs and equipment used	phthalate			
	in the formulation of ink	n-Butyl alcohol	71-36-3	5.6	2.6
	from pigments, driers, soaps, and	Butylbenzyl phthalate	85-68-7	0.017	28.0
	stabilizers containing chromium	Cyclohexanone	108-94-1	0.36	NA
	and lead	o-Dichlorobenzene	95-50-1	0.088	6.0
		Diethyl phthalate	84-66-2	0.2	28.0
		Dimethyl phthalate	131-11-3	0.047	28.0
		Di-n-butyl phthalate	84-74-2	0.057	28.0
		Di-n-octyl phthalate	117-84-0	0.017	28.0
		Ethyl acetate	141-78-6	0.34	33.0
		Ethylbenzene	100-41-4	0.057	10.0
		Methanol	67-56-1	5.6	NA
		Methyl ethyl ketone	78-93-3	0.28	36.0
		Methyl isobutyl ketone	108-10-1	0.14	33.0
		Methylene chloride	75-09-2	0.089	30.0
		Naphthalene	91-20-3	0.059	5.6
		Nitrobenzene	98-95-3	0.068	14.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ²	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	<u>regulatory</u> successes;	Toluene	108-88-33	0.08	10.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Tetrachloroethylene	79-01-6	0.054	6.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K087	Decanter tank tar from coking	Acenaphthylene	208-96-8	0.059	3.4
	operations	Benzene	71-43-2	0.14	10.0
		Chrysene	218-01-9	0.059	3.4
		Fluoranthene	206-44-0	0.068	3.4
		Indeno(1,2,3-cd)pyrene Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Toluene	108-88-3	0.08	10.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K088	Spent potliners from primary	Acenaphthene	83-32-9	0.059	3.4
	aluminum reduction	Anthracene	120-12-7	0.059	3.4
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Benzo(b)fluoranthene	205-99-2	0.11	6.8
		Benzo(k)fluoranthene	207-08-9	0.11	6.8
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Fluoranthene	206-44-0	0.068	3.4
		Indeno(1,2,3-cd)pyrene Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP
		Arsenic	7440-38-2	1.4	26.1

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Barium	7440-39-3	1.2	21.0 mg/lmg/L TCLP
		Beryllium	7440-41-7	0.82	1.22 mg/lmg/L TCLP
		Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
		Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
		Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
		Mercury	7439-97-6	0.15	0.025 mg/l mg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
		Silver	7440-22-4	0.43	0.14 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Fluoride	16964-48-8	35.0	NA
K093	Distillation light ends from the production of phthalic anhidride from ortho-xylene	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	100-21-0	0.055	28.0
		Phthalic anhydride (measured as phthalic acid or terephthalic acid)	85-44-9	0.055	28.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K094	Distillation bottoms from the production of phthalic anhidride from ortho-xylene	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	100-21-0	0.055	28.0
		Phthalic anhydride (measured as phthalic acid or terephthalic acid)	85-44-9	0.055	28.0
K095	Distillation bottoms from the	Hexachloroethane	67-72-1	0.055	30.0
	production of	Pentachloroethane	76-01-7	NA	6.0
	1,1,1-trichloroethane	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
K096	Heavy ends from the heavy end	m-Dichlorobenzene	541-73-1	0.036	6.0
	production of	Pentachloroethane	76-01-7	0.055	6.0
	1,1,1-trichloroethane	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Trichloroethylene	79-01-6	0.054	6.0
K097	Vacuum stripper discharge from the chlordane chlorinator in the	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
	production of chlordane	Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
		Hexachloro cyclopentadiene	77-47-4	0.057	2.4
K098	Untreated process wastewater from the production of toxaphene	Toxaphene	8001-35-2	0.0095	2.6
K099	Untreated process wastewater from the production of 2,4-D	2,4- Dichloro phenoxyacetic acid	94-75-7	0.72	10.0
		HxCDDs (all Hexachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	NA	0.000063	0.001

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		PeCDFs (all Pentachlorodibenzo furans)	NA	0.000063	0.001
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	NA	0.000063	0.001
		TCDFs (all Tetrachlorodibenzo furans)	NA	0.000063	0.001
K100	Waste leaching solution from acid leaching of emission control	Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
	dust/sludge dust or sludge from	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
	secondary lead smelting	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
K101	Distillation tar residues from the distillation of aniline-based	o-Nitroaniline	88-74-4	0.27	14.0
	compounds in the production of	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
	veterinary pharmaceuticals from	Cadmium	7440-43-9	0.69	NA
	arsenic or organo-arsenic	Lead	7439-92-1	0.69	NA
	compounds	Mercury	7439-97-6	0.15	NA

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K102	Residues from the use of activated carbon for	o-Nitrophenol	88-75-5	0.028	13.0
	decolonization in the production	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
	of veterinary pharmaceuticals	Cadmium	7440-43-9	0.69	NA
	from arsenic or organo-arsenic	Lead	7439-92-1	0.69	NA
	compounds	Mercury	7439-97-6	0.15	NA
K103	Process residues from aniline	Aniline	62-53-3	0.81	14.0
	extraction from the production of	Benzene	71-43-2	0.14	10.0
	aniline	2,4-Dinitrophenol	51-28-5	0.12	160.0
		Nitrobenzene	98-95-3	0.068	14.0
		Phenol	108-95-2	0.039	6.2
K014-K104	Combined wastewater streams	Aniline	62-53-3	0.81	14.0
	generated from	Benzene	71-43-2	0.14	10.0
	nitrobenzene/anilinenitrobenzene	2,4-Dinitrophenol	51-28-5	0.12	160.0
	or aniline production	Nitrobenzene	98-95-3	0.068	14.0
		Phenol	108-95-2	0.039	6.2
		Cyanides (total) ⁷	57-12-5	1.2	590.0
K105	Separated aqueous stream from	Benzene	71-43-2	0.14	10.0
	the reactor product washing step	Chlorobenzene	108-90-7	0.057	6.0
	in the production of	2-Chlorophenol	95-57-8	0.044	5.7

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	chlorobenzenes	o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.9	6.0
		Phenol	108-95-2	0.039	6.2
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
K106	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain greater than or equal to 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	RMERC
	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain less than 260.0 mg/kg total mercury that are residues from RMERC	Mercury	7439-97-6	NA	0.02 mg/lmg/L TCLP
	Other K106 nonwastewaters that contain less than 260.0 mg/kg total mercury that are not residues from RMERC	Mercury	7439-97-6	NA	0.025 mg/l mg/L TCLP
	All K106 wastewaters	Mercury	7439-97-6	0.15	NA

		Regulated hazardous of	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K107	Column bottoms from product separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides	NA	NA	CMBST; or CHOXD fb CARBN; or BIOGDBIODG fb CARBN	CMBST
K108	Condensed column overheads from production separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides	NA	NA	CMBST; or CHOXD fb CARBN; or BIOGDBIODG fb CARBN	CMBST
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides	NA	NA	CMBST; or CHOXD fb CARBN; or BIOGDBIODG fb CARBN	CMBST
K110	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides	NA	NA	CMBST; or CHOXD fb CARBN; or BIOGDBIODG fb CARBN	CMBST
K111	Product washwaters from the production of dinitrotoluene via	2,4-Dinitrotoluene	121-14-2	0.32	140.0
	nitration of toluene	2,6-Dinitrotoluene	606-20-2	0.55	28.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous	Wests description and			Concentration ³ in	Concentration ⁵ in
waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	mg/lmg/L; or technology code 4	mg/kg unless noted as "mg/lmg/L TCLP"; or technology code 4
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene	NA	NA	CMBST; or CHOXD fb CARBN; or BIOGDBIODG fb CARBN	CMBST
K113	Condensed liquid light ends from the purification of toluenediamine via hydrogenation of dinitrotoluene	NA	NA	CARBN; or CMBST	CMBST
K114	Vicinals from the purification of toluenediamine via hydrogenation of dinitrotoluene	NA	NA	CARBN; or CMBST	CMBST
K115	Heavy ends from the purification of toluenediamine in the	Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
	production of toluenediamine via hydrogenation of dinitrotoluene	NA	NA	CARBN; or CMBST	CMBST
K116	Organic condensate from the solvent recovery column in the production of toluene diidocyanate via phosgenation of toluenediamine	NA	NA	CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K117	Wastewater from the reactor vent gas scrubber in the production of	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
	ethylene dibromide via	Chloroform	67-66-3	0.046	6.0
	bromination of ethene	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15.0
K118	Spent absorbent solids from purification of ethylene	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
	dibromide in the production of	Chloroform	67-66-3	0.046	6.0
	ethylene dibromide via bromination of ethene	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15.0
K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylene bisdithiocarbamic acid and its salts	NA	NA	CMBST; or CHOXD fb (BIOGDBIODG or CARBN)	CMBST
K124	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salts	NA	NA	CMBST; or CHOXD fb (BIOGDBIODG or CARBN)	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K125	Filtration, evaporation, and centrifugation solids from the production of ethylenebisdithiocarbamic acid and its salts	NA	NA	CMBST; or CHOXD fb (BIOGDBIODG or CARBN)	CMBST
K126	Baghouse dust and floor sweepings in milling and packaging operations in the production of formulation of ethylenebisdithiocarbamic acid and its salts	NA	NA	CMBST; or CHOXD fb (BIOGDBIODG or CARBN)	CMBST
K131	Wastewater from the reactor and spent sulfuring acid from the acid dryer from the production of methyl bromide	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
K136	Still bottoms from the purification of ethylene	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
	dibromide in the production of	Chloroform	67-66-3	0.046	6.0
	ethylene dibromide via bromination of ethene	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K141	Process residues from the	Benzene	71-43-2	0.14	10.0
	recovery of coal tar, including	Benz(a)anthracene	56-55-3	0.059	3.4
	but not limited to, collecting	Benzo(a)pyrene	50-2-8	0.061	3.4
	sump residues from the production of coke by-products produced from coal. This listing does not include K087 (decanter	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
	tank tar sludge from coking operations).	Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
K142	Tar storage tank residues from	Benzene	71-43-2	0.14	10.0
	the production of coke from coal	Benz(a)anthracene	56-55-3	0.059	3.4
	tar or from the recovery of coke	Benzo(a)pyrene	50-32-8	0.061	3.4
	by-products produced from coal.	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
K143	Process residues from the	Benzene	71-43-2	0.14	10.0
	recovery of light oil, including	Benz(a)anthracene	56-55-3	0.059	3.4
	but not limited to, those	Benzo(a)pyrene	50-32-8	0.061	3.4
	generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste	Waste description and treatment/regulatorytreatment or		CAS ²	Concentration ³ in mg/lmg/L; or	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
K144	Wastewater sump residues from	Benzene	71-43-2	0.14	10.0
	light oil refining, including but	Benz(a)anthracene	56-55-3	0.059	3.4
	not limited to, intercepting or	Benzo(a)pyrene	50-32-8	0.061	3.4
	contamination sump sludges from the recovery of coke by-products produced from coal	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
K145	Residues from naphthalene	Benzene	71-43-2	0.14	10.0
	collection and recovery	Benz(a)anthracene	56-55-3	0.059	3.4
	operations from the recovery of	Benzo(a)pyrene	50-32-8	0.061	3.4
	coke by-products produced from	Chrysene	218-01-9	0.059	3.4
	coal	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Naphthalene	91-20-3	0.059	5.6

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K147	Tar storage tank residues from	Benzene	71-43-2	0.14	10.0
	coal tar refining	Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
K148	Residues from colacoal tar	Benz(a)anthracene	56-55-3	0.059	3.4
	distillation, including but not	Benzo(a)pyrene	50-32-8	0.061	3.4
	limited to, still bottoms	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
K149	Distillation bottoms from the production of alpha- (or methyl-)	Chlorobenzene	108-90-7	0.057	6.0
	chlorinated toluenes,	Chloroform	67-66-3	0.046	6.0
	ring-chlorinated toluenes,	Chloromethane	74-87-3	0.19	30.0
	benzoyl chlorides, and	p-Dichlorobenzene	106-46-7	0.09	6.0
	compounds with mixtures of	Hexachlorobenzene	118-74-1	0.055	10.0
	these functional groups. (This	Pentachlorobenzene	608-93-5	0.055	10.0
	waste does not include still bottoms from the distillation of	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
	benzyl chloride.)	Toluene	108-88-3	0.08	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K150	Organic residuals, excluding	Carbon tetrachloride	56-23-5	0.057	6.0
	spent carbon adsorbent, from the	Chloroform	67-66-3	0.046	6.0
	spent chlorine gas and	Chloromethane	74-87-3	0.19	30.0
	hydrochloric acid recovery	p-Dichlorobenzene	106-46-7	0.09	6.0
	processes associated with the	Hexachlorobenzene	118-74-1	0.055	10.0
	production of alpha- (or methyl-)	Pentachlorobenzene	608-93-5	0.055	10.0
	chlorinated toluenes, ring-chlorinated toluenes,	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
	benzoyl chlorides, and	1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
	compounds with mixtures of	Tetrachloroethylene	127-18-4	0.056	6.0
	these functional groups.	1,2,4-Trichlorobenzene	120-82-1	0.055	19.0
K151	Wastewater treatment sludges, excluding neutralization and	Benzene	71-43-2	0.14	10.0
	biological sludges, generated during the treatment of	Carbon tetrachloride	56-23-5	0.057	6.0
	wastewaters from the production	Chloroform	67-66-3	0.046	6.0
	of alpha- (or methyl-)	Hexachlorobenzene	118-74-1	0.055	10.0
	chlorinated toluenes,	Pentachlorobenzene	608-93-5	0.055	10.0
	ring-chlorinated toluenes, benzoyl chlorides, and	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	compounds with mixtures of	Tetrachloroethylene	127-18-4	0.056	6.0
	these functional groups.	Toluene	108-88-3	0.08	10.0
K156	Organic waste (including heavy	Acetonitrile	75-05-8	5.6	1.8
	ends, still bottoms, light ends,	Acetophenone	98-86-2	0.01	9.7
	spent solvents, filtrates, and	Aniline	62-53-3	0.81	14.0
	decantates) from the production of carbamates and carbamoyl oximes. (This listing does not	Benomyl ¹⁰	17804-35-2	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
	apply to wastes generated from	Benzene	71-43-2	0.14	10.0
	the manufacture of 3 iodo 2 propynyl n butylcarbamate.)	Carbaryl ¹⁰	63-25-2	0.006; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
		Carbenzadim ¹⁰	10605-21-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		Carbofuran ¹⁰	1563-66-2	0.006; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
		Carbosulfan ¹⁰	55285-14-8	0.028; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous	Waste description and		2	Concentration ³ in	Concentration ⁵ in mg/kg unless noted as
waste number	treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	mg/l mg/L; or technology code ⁴	"mg/lmg/L TCLP"; or technology code 4
		Chlorobenzene	108-90-7	0.057	6.0
		Chloroform	67-66-3	0.046	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
		Methomyl ¹⁰	16752-77-5	0.028; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
		Methylene chloride	75-09-2	0.089	30.0
		Methyl ethyl ketone	78-93-3	0.28	36.0
		Naphthalene	91-20-3	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyridine	110-86-1	0.014	16.0
		Toluene	108-88-3	0.08	10.0
		Triethylamine	121-44-8	0.081; or CMBST, CHOXD, BIODG or CARBN	1.5 <u>; or CMBST</u>
K157	Wastewaters (including scrubber	Carbon tetrachloride	56-23-5	0.057	6.0
	waters, condenser waters,	Chloroform	67-66-3	0.046	6.0
	washwaters, and separation	Chloromethane	74-87-3	0.19	30.0
	waters) from the production of carbamates and carbamoyl oximes. (This listing does not	Methomyl ¹⁰	16752-77-5	0.028; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	apply to waste generated from	Methylene chloride	75-09-2	0.089	30.0
	the manufacture of 3-iodo-2-	Methyl ethyl ketone	78-93-3	0.28	36.0
	propybyl-n-butylcarbamate	Pyridine	110-86-1	0.014	16.0
		Triethylamine	121-44-8	0.081 or CMBST, CHOXD, BIODG or CARBN	1.5 <u>; or CMBST</u>
K158	Baghouse dusts and	Benomyl	17804-35-2	0.056	1.4
	filter/separationfilter or	Benzene	71-43-2	0.14	10.0
	separation solids from the production of carbamates and carbamoyl oximes. (This listing	Carbenzadim ¹⁰	10605-21-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
	does not apply to wastes generated from the manufacture of 3-iodo-2-propynyl-n-	Carbofuran ¹⁰	1563-66-2	0.006; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
	butylcarbamate	Carbosulfan ¹⁰	55285-14-8	0.028; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		Chloroform	67-66-3	0.046	6.0
		Methylene chloride	75-09-2	0.089	30.0
		Phenol	108-95-2	0.039	6.2

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K159	Organics from the treatment of	Benzene	71-43-2	0.14	10.0
	thiocarbamates ¹⁰	Butylate ¹⁰	2008-41-5	0.042 <u>; or CMBST,</u> CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		EPTC (Eptam) ¹⁰	759-94-4	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		Molinate ¹⁰	2212-67-1	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		Pebulate ¹⁰	1114-71-2	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
		Vernolate ¹⁰	1929-77-7	0.042 <u>; or CMBST,</u> CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
K161	Purification solids (including	Antimony	7440-36-0	1.9	1.15 ¹¹ mg/L TCLP
	filtration, evaporation, and	Arsenic	7440-38-2	1.4	5.0 ¹¹ mg/L TCLP
	centrifugation solids), baghouse	Carbon disulfide	75-15-0	3.8	4.8 ¹¹ mg/L TCLP
	dust, and floor sweepings from the production of dithiocarbamate acids and their	Dithiocarbamates (total) ¹⁰	137-30-4 NA	0.028; or CMBST, CHOXD, BIODG or CARBN	28.0 <u>; or CMBST</u>

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	salts	Lead	7439-92-1	0.69	0.75 ¹¹ mg/L TCLP
		Nickel	7440-02-0	3.98	11.0 ¹¹ mg/L TCLP
		Selenium	7782-49-2	0.82	5.7 ⁴⁴ mg/L TCLP
K169	Crude oil tank sediment from	Benz(a)anthracene	56-55-3	0.059	3.4
	petroleum refining operations	Benzene	71-43-2	0.14	10.0
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Chrysene	218-01-9	0.059	3.4
		Ethyl benzene	100-41-4	0.057	10.0
		Fluorene	86-73-7	0.059	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene (Methyl benzene)	108-88-3	0.08	10.0
		Xylene(s)Xylenes (total)	1330-20-7	0.32	30.0
K170	Clarified slurry oil sediment from	Benz(a)anthracene	56-55-3	0.059	3.4
	petroleum refining operations	Benzene	71-43-2	0.14	10.0
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA					Concentration ⁵ in
hazardous	Waste description and			Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/l mg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
		Ethyl benzene	100-41-4	0.057	10.0
		Fluorene	86-73-7	0.059	3.4
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene (Methyl benzene)	108-88-3	0.08	10.0
		Xylene(s)Xylenes (total)	1330-20-7	0.32	30.0
K171	Spent hydrotreating catalyst from	Benz(a)anthracene	56-55-3	0.059	3.4
	petroleum refining operations,	Benzene	71-43-2	0.14	10.0
	including guard beds used to	Chrysene	218-01-9	0.059	3.4
	desulfurize feeds to other	Ethyl benzene	100-41-4	0.057	10.0
	catalytic reactors. (This beds used	Naphthalene	91-20-3	0.059	5.6
	to desulfurize feeds to other	Phenanthrene	85-01-8	0.059	5.6
	catalytic reactors. (This listing	Pyrene	129-00-0	0.067	8.2
	does not include inert support media.)	Toluene (Methyl benzene)	108-88-3	0.08	10.0
		Xylene(s)Xylenes (total)	1330-20-7	0.32	30.0
		Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/l <u>mg/L</u> TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Vanadium	7440-62-2	4.3	1.6 mg/lmg/L TCLP
		Reactive sulfides	NA	DEACT	DEACT
K172	Spent hydrorefining catalyst from	Benzene	71-43-2	0.14	10.0
	petroleum refining operations,	Ethyl benzene	100-41-4	0.057	10.0
	including guard beds used to desulfurize feeds to other	Toluene (Methyl benzene)	108-88-3	0.08	10.0
	catalytic reactors. (This listing	Xylene(s)Xylenes (total)	1330-20-7	0.32	30.0
	does not include inert support	Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP
	media.)	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
		Vanadium	7440-62-2	4.3	1.6 mg/lmg/L TCLP
		Reactive sulfides	NA	DEACT	DEACT
K174	Wastewater treatment sludges from the production of ethylene dichloride or vinyl chloride monomer.	1,2,3,4,6,7,8- Heptachlorodibenzo-p- dioxin (1,2,3,4,6,7,8-HpCCD)	35822-46-9	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
		1,2,3,4,6,7,8- Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		1,2,3,4,7,8,9- Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
		HxCDDs (all Hexachlorodibenzo-p- dioxins)	34465-46-8	0.000063 or CMBST ¹¹	0.001 or MBST ¹¹
		HxCDFs (all Hexachlorodibenzo furans)	55684-94-1	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		1,2,3,4,6,7,8,9- Octachlorodibenzo-p- dioxin (OCDD)	3268-87-9	0.000063 or CMBST ¹¹	0.0025 or CMBST ¹¹
		1,2,3,4,6,7,8,9- Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	36088-22-9	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		PeCDFs (all Pentachlorodibenzo furans)	30402-15-4	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	41903-57-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		TCDFs (all Tetrachlorodibenzo furans)	55722-27-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
K175	Wastewater treatment sludge from the production of vinyl	Mercury ¹²	7438-97-6	NA	0.025 mg/l mg/L TCLP
	chloride monomer using mercuric chloride catalyst in an acetylene-based process.	рН ¹²		NA	pHless than or equal to 6.0
	All K175 wastewaters	Mercury	7438-97-6	0.15	NA
K176	Baghouse filters from the production of antimony oxide,	Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP
	including filters from the	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
	production of intermediates (e.g.,	Cadmium	7440-43-9	0.69	0.11 mg/lmg/L TCLP
	antimony metal or crude	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
	antimony oxide).	Mercury	7438-97-6	0.15	0.025 mg/l mg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K177	Slag from the production of antimony oxide that is	Antimony	7440-36-0	1.9	1.15 mg/lmg/L TCLP
	speculatively accumulated or disposed, including slag from the	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
	production of intermediates (e.g., antimony metal or crude antimony oxide).	Lead	7439-92-1	0.069	0.75 mg/lmg/L TCLP
K178	Residues from manufacturing and manufacturing-site storage of ferric chloride from acids formed during the production of titanium	1,2,3,4,6,7,8- Heptachlorodibenzo-p- dioxin (1,2,3,4,6,7,8-HpCCD)	35822-46-9	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
	dioxide using the chloride-ilmenite process.	1,2,3,4,6,7,8- Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
		1,2,3,4,7,8,9- Heptachlorodibenzo furan (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
		HxCDDs (all Hexachlorodibenzo-p- dioxins)	34465-46-8	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		HxCDFs (all Hexachlorodibenzo furans)	55684-94-1	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		1,2,3,4,6,7,8,9- Octachlorodibenzo-p- dioxin (OCDD)	3268-87-9	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
		1,2,3,4,6,7,8,9- Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
		PeCDDs (all Pentachlorodibenzo-p- dioxins)	36088-22-9	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		PeCDFs (all Pentachlorodibenzo furans)	30402-15-4	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹
		TCDDs (all Tetrachlorodibenzo-p- dioxins)	41903-57-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		TCDDsTCDFs (all Tetrachlorodibenzo furans)	55722-27-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
		Thallium	7440-28-0	1.4	0.20 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
K181	Nonwastewaters from the production of dyes and or or pigments (including	Aniline	62-53-3	0.81	14.0
	nonwastewaters comingled at the point of generation with nonwastewaters from other	o-Anisidine (2-Methoxyaniline)	90-04-0	0.010	0.66
	processes) that, at the point of generation, contain mass loadings	4-Chloroaniline	106-47-8	0.46	16.0
	of any of the constituents identified in paragraph (C) of	p-Cresidine	120-71-8	0.010	0.66
	rule 3745-51-32 of the Administrative Code that are equal to or greater than the	2,4-Dimethylaniline (2,4-Xylidine)	95-68-1	0.010	0.66
	corresponding levels in paragraph (C) of rule 3745-51-32 of the Administrative Code as determined on a calendar year	1,2-Phenylenediamine	95-54-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN
	basis.	1,3-Phenylenediamine	108-45-2	0.010	0.66
P001	Warfarin, and salts, when present at concentrations greater than 0.3 per cent	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P002	1-Acetyl-2-thiourea	1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P003	Acrolein	Acrolein	107-02-8	0.29	CMBST
P004	Aldrin	Aldrin	309-00-2	0.021	0.066
P005	Allyl alcohol	Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P006	Aluminum phosphide	Aluminum phosphide	20859-73-8	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P007	5-Aminomethyl 3-isoxazolol	5-Aminomethyl 3- isoxazolol	2763-96-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P008	4-Aminopyridine	4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P009	Ammonium picrate	Ammonium picrate	131-74-8	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
P010	Arsenic acid	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
P011	Arsenic pentoxide	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P012	Arsenic trioxide	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
P013	Barium cyanide	Barium	7440-39-3	NA	21.0 mg/lmg/L TCLP
		Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanide (amenable) ⁷	57-12-5	0.86	30.0
P014	Thiophenol (Benzene thiol)	Thiophenol (Benzene thiol)	108-98-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P015	Beryllium dust	Beryllium	7440-41-7	RMETL; or RTHRM	RMETL; or RTHRM
P016	Dichloromethyl ether (Bis(chloromethyl)ether)	Dichloromethyl ether	542-88-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P017	Bromoacetone	Bromoacetone	598-31-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P018	Brucine	Brucine	357-57-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P020	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	2-sec-Butyl-4,6- dinitrophenol (Dinoseb)	88-85-7	0.66	2.5
P021	Calcium cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanide (amenable) ⁷	57-12-5	0.86	30.0

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P022	Carbon disulfide	Carbon disulfide	75-15-0	3.8	CMBST
		Carbon disulfide; alternate ⁶ standard for nonwastewaters only	75-15-0	NA	4.8 mg/lmg/L TCLP
P023	Chloroacetaldehyde	Chloroacetaldehyde	107-20-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P024	p-Chloroaniline	p-Chloroaniline	106-47-8	0.46	16.0
P026	1-(o-Chlorophenyl)thiourea	1-(o-Chlorophenyl) thiourea	5344-82-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P027	3-Chloropropionitrile	3-Chloropropionitrile	542-76-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P028	Benzyl chloride	Benzyl chloride	100-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P029	Copper cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
P030	Cyanides (soluble salts and	Cyanides (total) ⁷	57-12-5	1.2	590.0
	complexes)	Cyanides (amenable) ⁷	57-12-5	0.86	30.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P031	Cyanogen	Cyanogen	460-19-5	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
P033	Cyanogen chloride	Cyanogen chloride	506-77-4	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
P034	2-Cyclohexyl-4,6-dinitrophenol	2-Cyclohexyl- 4,6-dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P036	Dichlorophenylarsine	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
P037	Dieldrin	Dieldrin	60-57-1	0.017	0.13
P038	Diethylarsine	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP
P039	Disulfoton	Disulfoton	298-04-4	0.017	6.2
P040	0,0-Diethyl O-pyrazinyl phosphorothioate	0,0-Diethyl O-pyrazinyl phosphorothioate	297-97-2	CARBN; or CMBST	CMBST
P041	Diethyl-p-nitrophenyl phosphate	Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or CMBST	CMBST
P042	Epinephrine	Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P043	Diisopropylfluorophosphate (DFP)	Diisopropylfluoro phosphate (DFP)	55-91-4	CARBN; or CMBST	CMBST
P044	Dimethoate	Dimethoate	60-51-5	CARBN; or CMBST	CMBST

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P045	Thiofanox	Thiofanox	39196-18-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P046	alpha, alpha- Dimethylphenethylamine	alpha, alpha- Dimethylphenethylamine	122-09-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P047	4,6-Dinitro-o-cresol	4,6-Dinitro-o-cresol	543-52-1	0.28	160.0
	4,6-Dinitro-o-cresol salts	NA	NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P048	2,4-Dinitrophenol	2,4-Dinitrophenol	51-28-5	0.12	160.0
P049	Dithiobiuret	Dithiobiuret	541-53-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P050	Endosulfan	Endosulfan I	939-98-8	0.023	0.066
		Endosulfan II	33213-6-5	0.029	0.13
		Endosulfan sulfate	1031-07-8	0.029	0.13
P051	Endrin	Endrin	72-20-8	0.0028	0.13
		Endrin aldehyde	7421-93-4	0.025	0.13

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P054	Aziridine	Aziridine	151-56-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P056	Fluorine	Fluoride (measured in wastewaters only)	16964-48-8	35.0	ADGAS fb NEUTR
P057	Fluoroacetamide	Fluoroacetamide	640-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P058	Fluoroacetic acid, sodium salt	Fluoroacetic acid, sodium salt	62-74-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P059	Heptachlor	Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
P060	Isodrin	Isodrin	465-73-6	0.021	0.066
P062	Hexaethyl tetraphosphate	Hexaethyltetraphosphate	757-58-4	CARBN; or CMBST	CMBST
P063	Hydrogen cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanide (amenable) ⁷	57-12-5	0.86	30.0
P064	Isocyanic acid, ethyl ester	Isocyanic acid, ethyl ester	624-83-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P065	Mercury fulminate nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC	Mercury	7439-97-6	NA	IMERC
	Mercury fulminate nonwastewaters that are either incinerator residues or are residues from RMERC, equal to 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	RMERC
	Mercury fulminate nonwastewaters that are residues from RMERC and contain less than 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	0.2 mg/lmg/L TCLP
	Mercury fulminate nonwastewaters that are incinerator residues and contain less than 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	0.25 mg/lmg/L TCLP
	All mercury fulminate wastewaters	Mercury	7439-97-6	0.15	NA

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P066	Methomyl	Methomyl	16752-77-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P067	2-Methyl-aziridine	2-Methyl-aziridine	75-55-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P068	Methyl hydrazine	Methyl hydrazine	60-34-4	CHODX; CHRED; CARBN; BIOGDBIODG; or CMBST	CHODX; CHRED; or CMBST
P069	2-Methyllactonitrile	2-Methyllactonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P070	Aldicarb	Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P071	Methyl parathion	Methyl parathion	298-00-0	0.014	4.6
P072	1-Naphthyl-2-thiourea	1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P073	Nickel carbonyl	Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P074	Nickel cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanide (amenable) ⁷	57-12-5	0.86	30.0
		Nickel	7440-02-0	3.98	11.0 mg/lmg/L TCLP
P075	Nicotine and salts	Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P076	Nitric oxide	Nitric oxide	10102-43-9	ADGAS	ADGAS
P077	p-Nitroaniline	p-Nitroaniline	100-01-6	0.028	28.0
P078	Nitrogen dioxide	Nitrogen dioxide	10102-44-0	ADGAS	ADGAS
P081	Nitroglycerin	Nitroglycerin	55-63-0	CHODX; CHRED; CARBN; BIOGDBIODG; or CMBST	CHODX; CHRED; or CMBST
P082	N-Nitrosodimethylamine	N-Nitrosodimethylamine	62-75-9	0.4	2.3
P084	N-Nitrosomethylvinylamine	N-Nitrosomethylvinyl amine	4549-40-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P085	Octamethylpyrophosphoramide	Octamethylpyro phosphoramide	152-16-9	CARBN; or CMBST	CMBST
P087	Osmium tetroxide	Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P088	Endothall	Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P089	Parathion	Parathion	56-38-2	0.014	4.6
P092	Phenyl mercuric acetate nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC	Mercury	7439-97-6	NA	IMERC; or RMERC
	Phenyl mercuric acetate nonwastewaters that are either incinerator residues or are residues from RMERC, and still contain greater than or equal to 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	RMERC
	Phenyl mercuric acetate nonwastewaters that are residues from RMERC and contain less than 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	0.2 mg/l mg/L TCLP

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
	Phenyl mercuric acetate nonwastewaters that are incinerator residues and contain less than 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	0.25 mg/lmg/L TCLP
	All phenyl mercuric acetate wastewaters	Mercury	7439-97-6	0.15	NA
P093	Phenylthiourea	Phenylthiourea	103-85-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P094	Phorate	Phorate	298-02-2	0.021	4.6
P095	Phosgene	Phosgene	75-44-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P096	Phosphine	Phosphine	7803-51-2	CHODX; CHRED; CARBN; BIOGDBIODG; or CMBST	CHODX; CHRED; or CMBST
P097	Famphur	Famphur	52-85-7	0.017	15.0
P098	Potassium cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P099	Potassium silver cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Silver	7440-22-4	0.43	0.14 mg/lmg/L TCLP
P101	Ethyl cyanide (Propanenitrile)	Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360.0
P102	Propargyl alcohol	Propargyl alcohol	107-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P103	Selenourea	Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
P104	Silver cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
		Silver	7440-22-4	0.43	0.14 mg/lmg/L TCLP
P105	Sodium Azide	Sodium Azide	26628-22-8	CHODX; CHRED; CARBN; BIOGDBIODG; or CMBST	CHODX; CHRED; or CMBST
P106	Sodium cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0
		Cyanides (amenable) ⁷	57-12-5	0.86	30.0
P108	Strychnine and salts	Strychnine and salts	57-24-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P109	Tetraethyldithiopyrophosphate	Tetraethyldithio pyrophosphate	3689-24-5	CARBN; or CMBST	CMBST
P110	Tetraethyl lead	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
P111	Tetraethylpyrophosphate	Tetraethylpyrophosphate	107-49-3	CARBN; or CMBST	CMBST
P112	Tetranitromethane	Tetranitromethane	509-14-8	CHODX; CHRED; CARBN; BIOGDBIODG; or CMBST	CHODX; CHRED; or CMBST
P113	Thallic oxide	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
P114	Thallium selenite	Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
P115	Thallium (I) sulfate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
P116	Thiosemicarbazide	Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P118	Trichloromethanethiol	Trichloromethanethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P119	Ammonium vandate	Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P120	Vanadium pentoxide	Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL
P121	Zinc cyanide	Cyanides (total) ⁷	57-12-5	1.2	590.0 30.0
P122	Zinc phosphide Zn ₃ P ₂ , when present at concentrations greater than 10.0 per cent	Cyanides (amenable) ⁷ Zinc phosphide	57-12-5 1314-84-7	0.86 CHODX; CHRED; or CMBST	CHODX; CHRED; or CMBST
P123	Toxaphene	Toxaphene	8001-35-2	0.0095	2.6
P127	Carbofuran 10	Carbofuran	1563-66-2	0.006; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
P128	Mexacarbate ¹⁰	Mexacarbate	315-18-4	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST
P185	Tirpate ¹⁰	Tirpate	26419-73-8	0.056; or CMBST, CHOXD, BIODG or CARBN	0.28 <u>; or CMBST</u>
P188	Physostigmine salicylate ¹⁰	Physostigmine salicylate	57-64-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P189	Carbosulfan ¹⁰	Carbosulfan	55285-14-8	0.028; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P190	Metolcarb ¹⁰	Metolcarb	1129-41-5	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P191	Dimetilan ¹⁰	Dimetilan	644-64-4	0.056 <u>; or CMBST,</u> CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P192	Isolan 10	Isolan	119-38-0	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P194	Oxamyl ¹⁰	Oxamyl	23135-22-0	0.056; or CMBST, CHOXD, BIODG or CARBN	0.28 <u>; or CMBST</u>
P196	Manganese dimethyldithiocarbamate ¹⁰	Dithiocarbamates (total)	NA	0.028; or CMBST, CHOXD, BIODG or CARBN	28.0; or CMBST
P197	Formparanate ¹⁰	Formparanate	17702-57-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
P198	Formetanate hydrochloride ¹⁰	Formetanate hydrochloride	23422-53-9	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P199	Methiocarb ¹⁰	Methiocarb	2032-65-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST
P201	Promecarb ¹⁰	Promecarb	2631-37-0	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P202	m-Cumenyl methylcarbamate ¹⁰	m-Cumenyl methylcarbamate	64-00-6	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P203	Aldicarb sulfone 10	Aldicarb sulfone	1646-88-4	0.056; or CMBST, CHOXD, BIODG or CARBN	0.28; or CMBST
P204	Physostigmine ¹⁰	Physostigmine	57-47-6	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
P205	Ziram ¹⁰	Dithiocarbamates (total)	NA	0.028; or CMBST, CHOXD, BIODG or CARBN	28.0; or CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U001	Acetaldehyde	Acetaldehyde		(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U002	Acetone	Acetone		0.28	160.0
U003	Acetonitrile	Acetonitrile	75-05-8	5.6	CMBST
		Acetonitrile; alternate ⁶ standard for nonwastewaters only	75-05-8	NA	38.0
U004	Acetophenone	Acetophenone	98-86-2	0.01	9.7
U005	2-Acetylaminofluorene	2-Acetylaminofluorene	53-96-3	0.059	140.0
U006	Acetyl chloride	Acetyl chloride	75-36-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U007	Acrylamide	Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U008	Acrylic acid	Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U009	Acrylonitrile	Acrylonitrile	107-13-1	0.24	84.0

		Regulated hazardous of	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U010	Mitomycin C	Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U011	Amitrole	Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U012	Aniline	Aniline	62-53-3	0.81	14.0
U014	Auramine	Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U015	Azaserine	Azaserine	115-02-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U016	Benz(c)acridine	Benz(c)acridine	225-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U017	Benzal chloride	Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U018	Benz(a)anthracene	Benz(a)anthracene	56-55-3	0.059	3.4
U019	Benzene	Benzene	71-43-2	0.14	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U020	Benzenesulfonyl chloride	Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U021	Benzidine	Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U022	Benzo(a)pyrene	Benzo(a)pyrene	50-32-8	0.061	3.4
U023	Benzotrichloride	Benzotrichloride	98-07-7	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U024	bis(2-Chloroethoxy)methane	bis(2- Chloroethoxy)methane	111-91-1	0.036	7.2
U025	bis(2-Chloroethyl)ether	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
U026	Chloraphazine	Chloraphazine	494-03-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U027	bis(2-Chloroisopropyl)ether	bis(2- Chloroisopropyl)ether	39638-32-9	0.055	7.2
U028	bis(2-Ethylhexyl)phthalate	bis(2- Ethylhexyl)phthalate	117-81-7	0.28	28.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U029	Methyl bromide (Bromomethane)	Methyl bromide (Bromomethane)	74-83-9	0.11	15.0
U2030	4-Bromophenyl phenyl ether	4-Bromophenyl phenyl ether	101-55-3	0.055	15.0
U031	n-Butyl alcohol	n-Butyl alcohol	71-36-3	5.6	2.6
U032	Calcium chromate	Chromium (total)	7440-47-3	2.77	0.6 mg/lmg/L TCLP
U033	Carbon oxyfluoride	Carbon oxyfluoride	353-50-4	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U034	Trichloroacetaldehyde (Chloral)	Trichloroacetaldehyde (Chloral)	75-87-6	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U035	Chlorambucil	Chlorambucil	305-03-3	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U036	Chlordane	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
U037	Chlorobenzene	Chlorobenzene	108-90-7	0.057	6.0
U038	Chlorobenzilate	Chlorobenzilate	510-15-6	0.1	CMBST
U039	p-Chloro-m-cresol	p-Chloro-m-cresol	59-50-7	0.018	14.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U041	Epichlorohydrin (1-Chloro-2,3-epoxypropane)	Epichlorohydrin (1-Chloro-2,3- epoxypropane)	106-89-8	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U042	2-Chloroethyl vinyl ether	2-Chloroethyl vinyl ether	110-75-8	0.062	CMBST
U043	Vinyl chloride	Vinyl chloride	75-01-4	0.27	6.0
U044	Chloroform	Chloroform	67-66-3	0.046	6.0
U045	Chloromethane (Methyl chloride)	Chloromethane (Methyl chloride)	74-87-3	0.19	30.0
U046	Chloromethyl methyl ether	Chloromethyl methyl ether	107-30-2	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U047	2-Chloronaphthalene	2-Chloronaphthalene	91-58-7	0.055	5.6
U048	2-Chlorophenol	2-Chlorophenol	95-57-8	0.044	5.7
U049	4-Cloro-o-toluidine-hydrochloride 4-Chloro-o-toluidine-hydrochloride	4-Cloro-o-toluidine- hydrochloride 4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U050	Chrysene	Chrysene	2218-01-9	0.059	3.4
U051	Creosote	Naphthalene	91-20-3	0.059	5.6
		Pentachlororphenol	87-86-5	0.089	7.4
		Phenanthrene	85-01-8	0.059	5.6

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.08	10.0
		Xylenes- mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30.0
		Lead	7439-92-1	0.69	0.75 mg.l TCLP
U052	Cresols (Cresylic acid)	o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-Cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-Cresol)	106-44-5	0.77	5.6
		Cresol- mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2
U053	Crotonaldehyde	Crotonaldehyde	4170-30-3	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U055	Cumene	Cumene	98-82-8	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U056	Cyclohexane	Cyclohexane	110-82-7	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U057	Cyclohexanone	Cyclohexanone	108-94-1	0.36	CMBST
		Cyclohexanone; alternate ⁶ standard for nonwastewaters only	108-94-1	NA	0.75 mg/lmg/L TCLP
U058	Cyclophosphamide	Cyclophosphamide	50-18-0	CARBN; or CMBST	CMBST
U059	Daunomycin	Daunomycin	20830-81-3	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U060	DDD	o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-54-8	0.023	0.087
U061	DDT	o,p'-DDT	789-02-6	0.0039	0.087
		p,p'-DDT	50-29-3	0.0039	0.087
		o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-54-8	0.023	0.087
		o,p'-DDE	3424-82-6	0.031	0.087
		p,p'-DDE	72-55-9	0.031	0.087

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U062	Diallate	Diallate	2303-16-4	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U063	Dibenz(a,h)anthracene	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
U064	Dibenz(a,i)pyrene	Dibenz(a,i)pyrene	189-55-9	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U066	1,2-Dibromo-3-chloropropane	1,2-Dibromo-3- chloropropane	96-12-8	0.11	15.0
U067	Ethylene dibromide (1,2-Dibromomethane)	Ethylene dibromide (1,2-Dibromomethane)	106-93-4	0.028	15.0
U068	Dibromomethane	Dibromomethane	74-95-3	0.11	15.0
U069	Di-n-butyl phthalate	Di-n-butyl phthalate	84-74-2	0.057	28.0
U070	o-Dichlorobenzene	o-Dichlorobenzene	95-50-1	0.088	6.0
U071	m-Dichlorobenzene	m-Dichlorobenzene	541-73-1	0.036	6.0
U072	p-Dichlorobenzene	p-Dichlorobenzene	106-46-7	0.09	6.0
U073	3,3'-Dichlorobenzidine	3,3'-Dichlorobenzidine	91-94-1	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U074	1,4-Dichloro-2-butene	cis-1,4-Dichloro-2-butene	1476-11-5	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
		trans-1,4-Dichloro-2- butane	764-41-0	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U075	Dichlorodifluoromethane	Dichlorodifluoromethane	75-71-8	0.23	7.2
U076	1,1-Dichloroethane	1,1-Dichloroethane	75-34-3	0.059	6.0
U077	1,2-Dichloroethane	1,2-Dichloroethane	107-06-2	0.21	6.0
U078	1,1-Dichloroethylene	1,1-Dichloroethylene	75-35-4	0.025	6.0
U079	1,2-Dichloroethylene	trans-1,2- Dichloroethylene	156-60-5	0.054	30.0
U080	Methylene chloride	Methylene chloride	75-09-2	0.089	30.0
U081	2,4-Dichlorophenol	2,4-Dichlorophenol	120-83-2	0.044	14.0
U082	2,6-Dichlorophenol	2,6-Dichlorophenol	87-65-0	0.044	14.0
U083	1,2-Dichloropropane	1,2-Dichloropropane	78-87-5	0.85	18.0
U084	1,3- Dichloropropylene	cis-1,3- Dichloropropylene	10061-01-5	0.036	18.0
		trans-1,3- Dichloropropylene	10061-02-6	0.036	18.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U085	1,2:3,4-Diepoxybutane	1,2:3,4-Diepoxybutane	1464-53-5	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U086	N,N'-Diethylhydrazine	N,N'-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U087	O,O-Diethyl S-methyldithiophosphate	O,O-Diethyl S- methyldithiophosphate	3288-58-2	CARBN; or CMBST	CMBST
U088	Diethyl phthalate	Diethyl phthalate	84-66-2	0.2	28.0
U089	Diethyl stilbestrol	Diethyl stilbestrol	56-53-1	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U090	Dihydrosafrole	Dihydrosafrole	94-58-6	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U091	3,3'-Dimethoxybenzidine	3,3'-Dimethoxybenzidine	119-90-4	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U092	Dimethylamine	Dimethylamine	124-40-3	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U093	p-Dimethylaminoazobenzene	p-Dimethylamino azobenzene	60-11-7	0.13	CMBST
U094	7,12-Dimethyl benz(a)anthracene	7,12-Dimethyl benz(a)anthracene	57-97-6	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U095	3,3'-Dimethylbenzidine	3,3'- Dimethylbenzidine	119-93-7	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U096	alpha, alpha-Dimethyl benzyl hydroperoxide	alpha, alpha-Dimethyl benzyl hydroperoxide	80-15-9	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U097	Dimethylcarbamoyl chloride	Dimethylcarbamoyl chloride	79-44-7	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U098	1,1-Dimethylhydrazine	1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U099	1,2-Dimethylhydrazine	1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U101	2,4-Dimethylphenol	2,4-Dimethylphenol	105-67-9	0.036	14.0
U102	Dimethyl phthalate	Dimethyl phthalate	131-11-3	0.047	28.0
U103	Dimethyl sulfate	Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U105	2,4-Dinitrotoluene	2,4-Dinitrotoluene	121-14-2	0.32	140.0
U106	2,6-Dinitrotoluene	2,6-Dinitrotoluene	606-20-2	0.55	28.0
U107	Di-n-octyl- phthalate	Di-n-octyl- phthalate	117-84-0	0.017	28.0
U108	1,4-Dioxane	1,4-Dioxane	123-91-1	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
		1,4-Dioxane; alternate ⁶ standard for nonwastewaters only	123-91-1	12.0	170.0
U109	1,2-Diphenylhydrazine	1,2-Diphenylhydrazine	122-66-7	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
		1,2-Diphenylhydrazine; alternate ⁶ standard for wastewaters only	122-66-7	0.087	NA

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U110	Dipropylamine	Dipropylamine	142-84-7	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U111	Di-n-propylnitrosamine	Di-n-propylnitrosamine	621-64-7	0.4	14.0
U112	Ethyl acetate	Ethyl acetate	141-78-6	0.34	33.0
U113	Ethyl acrylate	Ethyl acrylate	140-88-5	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U114	Ethylenebisdithiocarbamic acid salts and esters	Ethylenebis dithiocarbamic acid	111-54-6	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U115	Ethylene oxide	Ethylene oxide	75-21-8	(WETOX OR CHOXD) fb CARBN; or CMBST	CHOXD; or CMBST
		Ethylene oxide; alternate ⁶ standard for wastewaters only	75-21-8	0.12	NA
U116	Ethylene thiourea	Ethylene thiourea	96-45-7	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U117	Ethyl ether	Ethyl ether	60-29-7	0.12	160.0
U118	Ethyl methacrylate	Ethyl methacrylate	97-63-2	0.14	160.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U119	Ethyl methane sulfonate	Ethyl methane sulfonate	62-50-0	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U120	Fluoranthene	Fluoranthene	206-44-0	0.068	3.4
U121	Trichloromonofluoromethane	Trichloromono fluoromethane	75-69-4	0.02	30.0
U122	Formaldehyde	Formaldehyde	50-00-0	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U123	Formic acid	Formic acid	64-18-6	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U124	Furan	Furan	110-00-9	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U125	Furfural	Furfural	98-01-1	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U126	Glycidylaldehyde	Glycidylaldehyde	765-34-4	(WETOX OR CHOXD) fb CARBN; or CMBST	CMBST
U127	Hexachlorobenzene	Hexachlorobenzene	118-74-1	0.055	10.0

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U128	Hexachlorobutadiene	Hexachlorobutadiene	87-68-3	0.055	5.6
U129	Lindane	alpha-BHC	319-84-6	0.00014	0.066
		beta-BHC	319-85-7	0.00014	0.066
		delta-BHC	319-86-8	0.023	0.066
		gamma-BHC (Lindane)	58-89-9	0.0017	0.066
U130	Hexachlorocyclopentadiene	Hexachloro cyclopentadiene	77-47-4	0.057	2.4
U131	Hexachloroethane	Hexachloroethane	67-72-1	0.055	30.0
U132	Hexachlorophene	Hexachlorophene	70-30-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U133	Hydrazine	Hydrazine	302-01-2	CHOXD; CHRED; CARBN; BIOGDBIODG; or CMBST	CHOXD; CHRED; or CMBST
U134	Hydrogen fluoride	Fluoride (measured in wastewaters only)	7664-39-3	35.0	ADGAS fb NEUTR; or NEUTR
U135	Hydrogen sulfide	Hydrogen sulfide	7783-06-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U136	Cacodylic acid	Arsenic	7440-38-2	1.4	5.0 mg/lmg/L TCLP

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U137	Indeno(1,2,3 cd)pyrene Indeno(1,2,3 cd)pyrene	Indeno(1,2,3-cd)pyrene Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4
U138	Iodomethane	Iodomethane	74-88-4	0.19	65.0
U140	Isobutyl alcohol	Isobutyl alcohol	78-83-1	5.6	170.0
U141	Isosafrole	Isosafrole	120-58-1	0.081	2.6
U142	Kepone	Kepone	143-50-8	0.0011	0.13
U143	Lasiocarpine	Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U144	Lead acetate	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
U145	Lead phosphate	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
U146	Lead subacetate	Lead	7439-92-1	0.69	0.75 mg/lmg/L TCLP
U147	Maleic anhydride	Maleic anhydride	108-31-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U148	Maleic hydrazide	Maleic hydrazide	123-33-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U149	Malonitrile	Malonitrile	109-77-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous of	constituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U150	Melphalan	Melphalan	148-82-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U151	U151 (mercury) nonwastewaters that contain greater than or equal to 260.0 mg/kg total mercury	Mercury	7439-97-6	NA	RMERC
	U151 (mercury) nonwastewaters that contain less than 260.0 mg/kg total mercury and that are residues from RMERC only	Mercury	7439-97-6	NA	0.2 mg/lmg/L TCLP
	U151 (mercury) nonwastewaters that contain less than 260.0 mg/kg total mercury and that are not residues from RMERC	Mercury	7439-97-6	NA	0.025 mg /l <u>mg/L</u> TCLP
	All U151 (mercury) wastewaters	Mercury	7439-97-6	0.15	NA
	Elemental mercury contaminated with radioactive materials	Mercury	7439-97-6	NA	AMLGM
U152	Methacrylonitrile	Methacrylonitrile	126-98-7	0.24	84.0
U153	Methanethiol	Methanethiol	74-93-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U154	Methanol	Methanol	67-56-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
		Methanol; alternate ⁶ standards for both wastewaters and nonwastewaters	67-56-1	5.6	0.75 mg/lmg/L TCLP
U155	Methapyrilene	Methapyrilene	91-80-5	0.081	1.5
U156	Methyl chlorocarbonate	Methyl chlorocarbonate	79-22-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U157	3-Methylcholanthrene	3-Methylcholanthrene	56-49-5	0.0055	15.0
U158	4,4'-Methylene bis(2-chloroaniline)	4,4'-Methylene bis(2-chloroaniline)	101-14-4	0.5	30.0
U159	Methyl ethyl ketone	Methyl ethyl ketone	78-93-3	0.28	36.0
U160	Methyl ethyl ketone peroxide	Methyl ethyl ketone peroxide	1338-23-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U161	Methyl isobutyl ketone	Methyl isobutyl ketone	108-10-1	0.14	33.0
U162	Methyl methacrylate	Methyl methacrylate	80-62-6	0.14	160.0
U163	N-Methyl N'-nitro N-nitrosoguanidine	N-Methyl N'-nitro N-nitrosoguanidine	70-25-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	Regulated hazardous constituent		Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U164	Methylthiouracil	Methylthiouracil	56-04-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U165	Naphthalene	Naphthalene	91-20-3	0.059	5.6
U166	1,4-Naphthoquinone	1,4-Naphthoquinone	130-15-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U167	1-Naphthylamine	1-Naphthylamine	134-32-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U168	2-Naphthylamine	2-Naphthylamine	91-59-8	0.52	CMBST
U169	Nitrobenzene	Nitrobenzene	98-95-3	0.068	14.0
U170	p-Nitrophenol	p-Nitrophenol	100-02-7	0.12	29.0
U171	2-Nitropropane	2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U172	N-Nitrosodi-n-butylamine	N-Nitrosodi-n-butylamine	924-16-3	0.4	17.0
U173	N-Nitrosodiethanolamine	N-Nitrosodiethanolamine	1116-54-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U174	N-Nitrosodiehtylamine N-Nitrosodiethylamine	N-Nitrosodiehtylamine N-Nitrosodiethylamine	55-18-5	0.4	28.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U176	N-Nitroso-N-ethylurea	N-Nitroso-N-ethylurea	759-73-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U177	N-Nitroso-N-methylurea	N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U178	N-Nitroso-N-methylurethane	N-Nitroso-N- methylurethane	615-53-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U179	N-Nitrosopiperidine	N-Nitrosopiperidine	100-75-4	0.013	35.0
U180	N-Nitrosopyrrolidine	N-Nitrosopyrrolidine	930-55-2	0.013	35.0
U181	5-Nitro-o-toluidine	5-Nitro-o-toluidine	99-55-8	0.32	28.0
U182	Paraldehyde	Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U183	Pentachlorobenzene	Pentachlorobenzene	608-93-5	0.055	10.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U184	Pentachloroethane	Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
		Pentachloroethane; alternate ⁶ standards for both wastewaters and nonwastewaters	76-01-7	0.055	6.0
U185	Pentachloronitrobenzene	Pentachloronitrobenzene	82-68-8	0.055	4.8
U186	1,3-Pentadiene	1,3-Pentadiene	504-60-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U187	Phenacetin	Phenacetin	62-44-2	0.081	16.0
U188	Phenol	Phenol	108-95-2	0.039	6.2
U189	Phosphorus sulfide	Phosphorus sulfide	1314-80-3	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U190	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	Phthalic anhydride (measured as phthalic acid or terephthalic acid)	100-21-0	0.055	28.0
		Phthalic anhydride (measured as phthalic acid or terephthalic acid)	85-44-9	0.055	28.0

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U191	2-Picoline	2-Picoline	109-06-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U192	Pronamide	Pronamide	23950-58-5	0.093	1.5
U193	1,3-Propane sultone	1,3-Propane sultone	1120-71-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U194	n-Propylamine	n-Propylamine	107-10-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U196	Pyridine	Pyridine	110-86-1	0.014	16.0
U197	p-Benzoquinone	p-Benzoquinone	106-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U200	Reserpine	Reserpine	50-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U201	Resorcinol	Resorcinol	108-46-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U202	Saccharin and salts	Saccharin	81-07-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U203	Safrole	Safrole	94-59-7	0.081	22.0
U204	Selenium dioxide	Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
U205	Selenium sulfide	Selenium	7782-49-2	0.82	5.7 mg/lmg/L TCLP
U206	Streptozotocin	Streptozotocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U207	1,2,4,5-Tetrachlorobenzene	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14.0
U208	1,1,1,2-Tetrachloroethane	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
U209	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
U210	Tetrachloroethylene	Tetrachloroethylene	127-18-4	0.056	6.0
U211	Carbon tetrachloride	Carbon tetrachloride	56-23-5	0.057	6.0
U213	Tetrahydrofuran	Tetrahydrofuran	109-99-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U214	Thallium (I) acetate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory ¹ Thallium (I) carbonate	Common name Thallium (measured in	CAS ² number 7440-28-0	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴ RTHRM; or STABL
	,,	wastewaters only)		·	
U216	Thallium (I) chloride	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U217	Thallium (I) nitrate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U218	Thioacetamide	Thioacetamide	62-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U219	Thiourea	Thiourea	62-56-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U220	Toluene	Toluene	108-88-3	0.08	10.0
U221	Toluenediamine	Toluenediamine	25376-45-8	CARBN; or CMBST	CMBST
U222	o-Toluidine hydrochloride	o-Toluidine hydrochloride	636-21-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U223	Toluene diisocyanate	Toluene diisocyanate	26471-62-5	CARBN; or CMBST	CMBST
U225	Bromoform (Tribromomethane)	Bromoform (Tribromomethane)	75-25-2	0.63	15.0
U226	1,1,1-Trichloroethane	1,1,1-Trichloroethane	71-55-6	0.054	6.0

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U227	1,1,2-Trichloroethane	1,1,2-Trichloroethane	79-00-5	0.054	6.0
U228	Trichloroethylene	Trichloroethylene	79-01-6	0.054	6.0
U234	1,3,5-Trinitrobenzene	1,3,5-Trinitrobenzene	99-35-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U235	tris-(2,3-Dibromopropyl)- phosphate	tris-(2,3-Dibromopropyl)- phosphate	126-72-7	0.11	0.1
U236	Trypan blue	Trypan blue	72-57-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U237	Uracil mustard	Uracil mustard	66-75-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U238	Urethane (Ethyl carbamate)	Urethane (Ethyl carbamate)	51-79-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U239	Xylenes	Xylenes- mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30.0

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U240	2,4-D (2,4-Dichlorophenoxyacetic acid)	2,4-D (2,4- Dichloro phenoxyacetic acid)	94-75-7	0.72	10.0
	2,4-D (2,4-Dichlorophenoxy acetic acid) salts and esters		NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U243	Hexachloropropylene	Hexachloropropylene	1888-71-7	0.035	30.0
U244	Thiram	Thiram	137-26-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U246	Cyanogen bromide	Cyanogen bromide	506-68-3	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
U247	Methoxychlor	Methoxychlor	72-43-5	0.25	0.18
U248	Warfarin, and salts, when present at concentrations of 10.0 per cent or less	Warfarin	81-81-2	*(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U249	Zinc phosphide, Zn ₃ P ₂ , when present at concentrations of 10.0 per cent or less	Zinc phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U271	Benomyl ¹⁰	Benomyl	17804-35-2	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U278	Bendiocarb ¹⁰	Bendiocarb	22781-23-3	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U279	Carbaryl ¹⁰	Carbaryl	63-25-2	0.006; or CMBST, CHOXD, BIODG or CARBN	0.14 <u>; or CMBST</u>
U280	Barban ¹⁰	Barban	101-27-9	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U328	o-Toluidine	o-Toluidine	95-53-4	CMBST; or CHOXD fb (BIOGDBIODG or CARBN); or BIOGDBIODG fb CARBN	CMBST
U353	p-Toluidine	p-Toluidine	106-49-0	CMBST; or CHOXD fb (BIOGDBIODG or CARBN); or BIOGDBIODG fb CARBN	CMBST

		Regulated hazardous of	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U359	2-Ethoxyethanol	2-Ethoxyethanol	110-80-5	CMBST; or CHOXD fb (BIOGDBIODG or CARBN); or BIOGDBIODG fb CARBN	CMBST
U364	Bendiocarb phenol ¹⁰	Bendiocarb phenol	22961-82-6	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U367	Carbofuran phenol ¹⁰	Carbofuran phenol	1563-38-8	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST
U372	Carbenzadim ¹⁰	Carbenzadim	10605-21-7	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U373	Propham ¹⁰	Propham	122-42-9	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U387	Prosulfocarb 10	Prosulfocarb	52888-80-9	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U389	Triallate ¹⁰	Triallate	2303-17-5	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST

		Regulated hazardous c	onstituent	Wastewaters	Nonwastewaters
EPA hazardous waste number	Waste description and treatment/regulatorytreatment or regulatory subcategory 1	Common name	CAS ² number	Concentration ³ in mg/lmg/L; or technology code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/lmg/L TCLP"; or technology code ⁴
U394	A2213 ¹⁰	A2213	30558-43-1	0.042; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U395	Diethylene glycol, dicarbamate ¹⁰	Diethylene glycol, dicarbamate	5952-26-1	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U404	Triethylamine ¹⁰	Triethylamine	121-44-8	0.081; or CMBST, CHOXD, BIODG or CARBN	1.5 <u>; or CMBST</u>
U409	Thiophanate-methyl ¹⁰	Thiophanate-methyl	23564-05-8	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U410	Thiocarb ¹⁰	Thiocarb	59669-26-0	0.019; or CMBST, CHOXD, BIODG or CARBN	1.4 <u>; or CMBST</u>
U411	Propoxur ¹⁰	Propoxur	114-26-1	0.056; or CMBST, CHOXD, BIODG or CARBN	1.4; or CMBST

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA					Concentration ⁵ in
hazardous	Waste description and			Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/l mg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4

Footnotes:

NA NA means not applicable.

- The waste descriptions provided in this table do not replace descriptions in Chapter 3745-51 of the Administrative Code. Descriptions of treatment/regulatorytreatment or regulatory subcategories are provided, as needed, to distinguish between applicability of different standards.
- CAS means chemical abstract services. When the EPA hazardous waste number <u>and/oror</u> regulated constituents are described as a combination of a chemical with <u>it'sits</u> salts <u>and/oror</u> esters, the CAS number is given for the parent compound only.
- Concentration standards for wastewaters are expressed in mg/lmg/L and are based on analysis of composite samples.
- 4 All treatment standards expressed as a technology code or combination of technology codes are explained in detail in the table in rule 3745-270-42 of the Administrative Code.
- Except for "Metals (EP or TCLP)" and "Cyanides (total and amenable)" the nonwastewater treatment standards expressed as a concentration were established, in part, based upon incineration in units operated in accordance with the technical requirements of rules 3745-57-40 to 3745-57-51 or 3745-68-40 to 3745-68-52 of the Administrative Code, or based upon combustion in fuel substitution units operating in accordance with the applicable technical requirements. A facility may comply with these treatment standards according to provisions in paragraph (D) of this rule. All concentration standards for nonwastewaters are based on analysis of grab samples.

		Regulated hazardous co	onstituent	Wastewaters	Nonwastewaters
EPA					Concentration ⁵ in
hazardous	Waste description and			Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/l<u>mg/L</u>; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4

- Where an alternate treatment standard or set of alternate standards has been indicated, a facility may comply with this alternate standard, but only for the "Treatment/RegulatoryTreatment or Regulatory Subcategory" or physical form (i.e., wastewater and/or or nonwastewater) specified for that alternate standard.
- Both "Cyanides (total)" and "Cyanides (amenable)" for nonwastewaters are to be analyzed using method 9010C or method 9012B found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,", U.S. EPA publication SW-846 with a sample size of ten grams and a distillation time of one hour and fifteen minutes.
- These wastes, when rendered nonhazardous and then subsequently managed in Clean Water Act (CWA), or CWA-equivalent systems, are not subject to treatment standards. [See paragraph (C)(3) and (C)(4) of rule 3745-270-01 of the Administrative Code.]
- 9 These wastes, when rendered nonhazardous and then subsequently injected in a "Class I SDWA" well are not subject to treatment standards. [See 40 CFR 148.1(d).]
- The treatment standard for this waste may be satisfied by either meeting the constituent concentrations in this table, or by treating the waste by the specified technologies: combustion, as <u>defineddescribed</u> by the technology code CMBST in the table in rule 3745-270-42 of the Administrative Code, for nonwastewaters; and biodegradation as <u>defineddescribed</u> by the technology code CARBN, chemical oxidation as <u>defineddescribed</u> by the technology code CHOXD, or combustion as <u>defineddescribed</u> by the technology code CMBST in the table in rule 3745-270-42 of the Administrative Code, for wastewaters.

		Regulated hazardous constituent		Wastewaters	Nonwastewaters
EPA					Concentration ⁵ in
hazardous	Waste description and			Concentration ³ in	mg/kg unless noted as
waste	treatment/regulatorytreatment or		CAS ²	mg/l mg/L; or	"mg/lmg/L TCLP"; or
number	regulatory subcategory 1	Common name	number	technology code 4	technology code 4
11	For these wastes, the definition of Administrative Code, (2) combusts or (3) combustion units operating to obtained a determination of equivalent	ion units permitted under ru under rules 3745-68-40 to 3	iles 3745-57- 3745-68-52 of	40 to 3745-57-51 of the the Administrative Co	Administrative Code, de, which have
12	Disposal of K175 wastes that have macroencapsulated in accordance placed in: (1) A permitted hazardo standards in this rule; or (2) A ded co-disposed are at pH less than or	with the table in rule 3745-2 us waste landfill containing icated permitted hazardous	270-45 of the gonly K175 v	Administrative Code uvastes that meet all app	inless the waste is licable treatment

[Comment: For dates of non-regulatory government publications, publications of recognized organizations and associations, federal rules, and federal statutory provisions referenced in this rule, see rule 3745-50-11 of the Administrative Code titled "Incorporated by reference."]

3745-270-40

Effective:	10/31/2015
Five Year Review (FYR) Dates:	Exempt
CERTIFIED ELECTRONICALLY	
Certification	

10/07/2015

Date

Promulgated Under: 119.03 Statutory Authority: 3734.12 Rule Amplifies: 3734.12

Prior Effective Dates: 12/30/1989, 02/11/1992, 09/02/1997, 12/07/2000,

02/08/2005, 02/16/2009, 09/05/2010, 03/17/2012