

## ODH Immunization Summary for Child Care, Head Start, Pre-School and School Attendance- Fall 2011

VACCINES	FALL 2008 IMMUNIZATIONS FOR CHILD CARE/HEAD START AND PRE- SCHOOL ATTENDANCE	FALL 2008-IMMUNIZATIONS FOR SCHOOL ATTENDANCE
<b>DTaP/DTP/DTTdap/Td</b> Diphtheria, Tetanus, Pertussis	4 doses of DTaP, DTP, or DT or any combination.	<b>Kindergarten</b> 5 doses of DTaP, DTP, or DT, or any combination, if the fourth dose was administered prior to the 4th birthday <b>Grades 1-12*</b> 3-4 doses of DTaP, DTP, DT or Td or any combination. <b>Grades 7-8</b> <u>1 dose of Tdap or Td vaccine must be administered prior to entry.</u>
<b>POLIO</b>	3 doses of OPV or IPV or any combination of OPV or IPV.	<b>K-1</b> <u>A minimum of 3 doses. The final dose must have been given on or after the 4th birthday, regardless of the number of previous doses; 4 doses if a combination of OPV and IPV was administered.</u> <b>K-12 Grades 2-12</b> 4 doses if a combination of OPV and IPV was administered. 4 doses if all OPV or all IPV is required if the third dose of either vaccine was administered prior to the 4th birthday.
<b>MMR</b> Measles, Mumps, Rubella	1 dose of MMR administered on or after the first birthday	<b>K-12</b> 2 doses of MMR. Dose 1 must be administered on or after the first birthday. The second dose must be administered at least 28 days after dose 1.
<b>Hib</b> <i>Haemophilus Influenzae</i> Type b	3 or 4 doses depending on the vaccine type, the age when the child began the 1st dose and the last dose must be after 12 months <b>or</b> 1 dose if given on or after 15 months of age	<b>None</b>
<b>HEP B</b> Hepatitis B	3 doses of Hepatitis B	<b>K-9 K-12</b> 3 doses of Hepatitis B. The second dose must be administered at least 28 days after the first dose. The third dose must be given at least 16 weeks after the first dose and at least 8 weeks after the second dose. The last dose in the series (third or fourth dose), must not be administered before age 24 weeks.
<b>Varicella</b> (Chickenpox)	<b>None</b>	<b>K-1</b> <u>2 doses of Varicella vaccine must be administered prior to entry.</u> <b>K-2 Grade 2-5</b> 1 dose of Varicella vaccine must be administered on or after the first birthday.

\*A student who is age 7 or older, and who received Td or Tdap vaccine as the 3<sup>rd</sup> part of this immunization series, shall not be required to receive further doses of diphtheria, tetanus or pertussis vaccine.

- The 4 day "grace" period applies to all age and interval minimums. If MMR and Varicella are not given on the same day, the doses must be separated by at least 28 days with no grace period.
- ~~The 5<sup>th</sup> dose of DTaP, DTP or DT and 4<sup>th</sup> dose of polio will not be required until kindergarten. At kindergarten, these doses will be required if the 4<sup>th</sup> DTaP and 3<sup>rd</sup> Polio were administered prior to the 4<sup>th</sup> birthday.~~
- The ~~hepatitis B Tdap~~ and Varicella requirements will be progressive.
- Only full doses of vaccine using proper intervals shall be counted as valid doses.
- Please contact the Ohio Department of Health Immunization Program at (800) 282-0546 or (614) 466-4643 with questions or concerns regarding the immunization schedule.