



Ohio Administrative Code

Rule 901:5-27-08 Flower seed minimum germination standards.

Effective: September 21, 2014

The minimum germination standards for seeds offered for sale in Ohio are:

| Kind of flower seed | minimum per cent germination |
|--|------------------------------|
| Archillea (the Pearl) - Achillea ptarmica | 50 |
| African Daisy - Dimorphotheca aurantiaca | 55 |
| African Violet - Saintpaulia spp | 30 |
| Ageratum - Ageratum mexicanum | 60 |
| Agrostemma (rose campion) - Agrostemma coronaria | 65 |
| Alyssum - Alyssum compactum, A. maritimum, A. procumbens A. saxatile | 60 |
| Amaranthus - Amaranthus spp | 65 |
| Anagalis (primpernel) - A. arvensis, A. coerulea, A. grandiflora | 60 |
| Anemone - Anemone coronaria, A. pulsatilla | 55 |
| Angel's Trumpet - Datura arborea | 60 |
| Arabis - Arabis alpina | 60 |
| Arctotis (African lilac daisy) - Arctotis grandis | 45 |
| Armeria - Armeria formosa | 55 |
| Asparagus, fern - Asparagus plumosus | 50 |
| Asparagus, sprenger, Asparagus sprengeri | 55 |
| Aster, China - Callistephus chinensis; except Pompon, Powderpuff, & Princess types | 55 |
| Aster, China - Callistephus chinensis; Pompon, Powderpuff, & Princess types | 50 |
| Aubretia - Aubretia deltoides | 45 |
| Baby Smilax - Aparagus asparagooides | 25 |
| Balsam - Impatiens balsamina | 70 |
| Begonia - (Begonia fibrous rooted) | 60 |
| Begonia - (Begonia tuberous rooted) | 50 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

| | |
|---|----|
| Bells of Ireland - <i>Molucella laevis</i> | 60 |
| Brachycome (swan river daisy) - <i>Brachycome iberidifolia</i> | 60 |
| Browallia - <i>Browallia elata</i> and <i>B. speciosa</i> | 65 |
| Bupthalmum (sunwheel) - <i>Bupthalmum salicifolium</i> | 60 |
| Calceolaria - <i>Calceolaria</i> spp | 60 |
| Calendula - <i>Calendula officinalis</i> | 65 |
| California Poppy - <i>Eschscholtzia californica</i> | 60 |
| Calliopsis - <i>Coreopsis bicolor</i> , <i>C. drummondii</i> , <i>C. elegans</i> | 65 |
| Campanula: Canterbury Bells - <i>Campanula medium</i> | 60 |
| Campanula: Cup and Saucer Bellflower - <i>Campanula medium calycanthema</i> | 60 |
| Campanula: Carpathian Bellflower - <i>Campanula carpatica</i> | 50 |
| Campanula: Peach Bellflower - <i>Campanula persicifolia</i> | 50 |
| Candytuft, annual - <i>Iberis amara</i> , <i>I. umbellata</i> | 65 |
| Candytuft, perennial - <i>Iberis gibraltarica</i> , <i>I. sempervirens</i> | 55 |
| Castor Bean - <i>Ricinus communis</i> | 60 |
| Cathedral Bells - <i>Cobaea scandens</i> | 65 |
| Celosia - <i>Celosia argentea</i> | 65 |
| Centaurea: Basket Flower - <i>C. americana</i> ; Cornflower - <i>C. cyanus</i> ; | 60 |
| Centaurea: Dusty Miller - <i>C. candidissima</i> , Royal Centaurea - <i>C. imperialis</i> ; Sweet Sultan - <i>C. moschata</i> ; Velvet Centaurea - <i>C. gymnocarpa</i> | 60 |
| Ceratium (snow-in-summer) <i>Cerastium biebersteinii</i> and <i>C. tomentosum</i> | 65 |
| Chinese Forget-me-not - <i>Cynoglossum amabile</i> . | 55 |
| Chrysanthemum, annual - <i>Chrysanthemum carinatum</i> , <i>C. coronarium</i> , <i>C. Cineraria</i> - <i>Senecio cruentus</i> | 60 |
| Clarkia - <i>Clarkia elegans</i> | 65 |
| Cleome - <i>Cleome gigantea</i> | 65 |
| Coleus - <i>Coleus blumei</i> | 65 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

| | |
|---|----|
| Columbine - <i>Aquilegia</i> spp | 50 |
| Coral Bells - <i>Heuchera sanguinea</i> | 55 |
| Coreopsis, Perennial - <i>Coreopsis lanceolata</i> | 40 |
| Corn, ornamental - <i>Zea mays</i> | 75 |
| Cosmos: Sensation, Mammoth and Crested types - <i>Cosmos bipinnatus</i> ; Klondyke type - <i>C. Sulphureau</i> | 65 |
| Crossandra - (<i>Crossandra infundibuliformis</i>) | 50 |
| Dahlia - <i>Dahlia</i> spp | 55 |
| Daylily - <i>Hemerocallis</i> spp | 45 |
| Delphinium, Perennial- Belladonna and Bellamosum types; Cardinal Larkspur - <i>Delphinium cardinalis</i> ; Chinensis types; Pacific Giant, Gold Medal &.other hybrids of <i>D. elatum</i> . | 55 |
| Dianthus: Carnation - <i>D. caryophyllus</i> | 60 |
| Dianthus: China Pinks - <i>D. chinensis</i> , <i>hedewigi</i> , <i>heddensis</i> | 70 |
| Dianthus: Grass Pinks - <i>D. plumarius</i> | 60 |
| Dianthus: Maiden Pinks - <i>D. deltoides</i> | 60 |
| Dianthus: Sweet William - <i>D. barbatus</i> | 70 |
| Dianthus: Sweet Wivelsfield - <i>D. allwoodi</i> | 60 |
| Didiscus - (blue lace flower) - <i>Didiscus coerulea</i> | 65 |
| Doronicum (leopard's bane) - <i>Doronicum caucasicum</i> | 60 |
| Dracaena - <i>Dracaena indivisa</i> | 55 |
| Dragon Tree - <i>Dracaena draco</i> | 40 |
| English Daisy - <i>Bellis perennis</i> | 55 |
| Flax - Golden flax (<i>Linum flavum</i>); Flowering flax <i>L. randidiflorum</i> ; Perennial flax, <i>L. perenne</i> | 60 |
| Flowering Maple - <i>Abutilon</i> spp | 35 |
| Foxglove - <i>Digitalis</i> spp | 60 |
| Gaillardia, annual - <i>Gaillardia pulchella</i> ; <i>G. picta</i> ; Perennial - <i>G. grandiflora</i> | 45 |
| Gerbera (transvaal daisy) - <i>Gerbera jamesoni</i> | 60 |
| Geum - <i>Geum</i> spp | 55 |
| Gilia - <i>Gilia</i> spp | 65 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

| | |
|--|----|
| Glosiosa daisy (rudbeckia) - Echinacea purpurea and Rudbeckia hirta | 60 |
| Gloxinia - (Sinningia speciosa) | 40 |
| Godetia - Godetia amoena, G. grandiflora | 65 |
| Gourds: Yellow Flowered - Cucurbita pepo; White Flowered - Lagenaria siceraria; Dishcloth - Luffa cylindrica | 70 |
| Gypsophila: annual Baby's Breath - G. elegans; Perennial Baby's Breath - G. paniculata, G. pacifica G. repens | 70 |
| Helenium - Helenium autumnale | 40 |
| Helichrysum - Helichrysum monstrosum | 60 |
| Heliopsis - Heliopsis scabra | 55 |
| Heliotrope - Heliotropium spp | 35 |
| Helipterum (Acroclinium) Helipterum roseum | 60 |
| Hesperis (sweet rocket) - Hesperis matronalis | 65 |
| *Hollyhock - Althea rosea | 65 |
| Hunnemania (mexican tulip poppy) - Hunnemania fumariaefolia | 60 |
| Hyacinth bean - Dolichos lablab | 70 |
| Impatiens - Impatiens hostii, I. sultani | 55 |
| *Ipomea - Cypress Vine - I. quamoclit; Moonflower - I. noctiflora; Morning Glories, Cardinal Climber, Hearts and Honey Vine - Ipomea spp | 75 |
| Jerusalem cross (maltese cross) - Lychnis chalcedonica | 70 |
| Job's Tears - Coix lacrymajobi | 70 |
| Kochia - Kochia childsi | 55 |
| Larkspur, annual - Delphinium ajacis | 60 |
| Lantana - Lantana camara, L. hybrida | 35 |
| Lilium (regal lily) - Lilium regale | 50 |
| Linaria - Linaria spp | 65 |
| Lobelia, annual - Lobelia erinus | 65 |
| Lunaria, annual - Lunaria annua | 65 |
| *Lupine - Lupinus spp | 65 |
| Marigold - Tagetes spp | 65 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

| | |
|---|----|
| Marvel of Peru - <i>Mirabilis jalapa</i> | 60 |
| Matricaria (feverfew) - <i>Matricaria spp</i> | 60 |
| Mignonette - <i>Reseda odorata</i> | 55 |
| Myosotis - <i>Myosotis alpestris</i> , <i>M. oblongata</i> , <i>M. palustris</i> | 50 |
| Nasturtium - <i>Tropaeolum spp</i> | 60 |
| Nemesia - <i>Nemesia spp</i> | 65 |
| Nemophila - <i>Nemophila insignis</i> | 70 |
| Nemophila, spotted - <i>Nemophila maculata</i> | 60 |
| Nicotiana - <i>Nicotiana affinis</i> , <i>N. sanderae</i> , <i>N. sylvestris</i> | 65 |
| Nierembergia - <i>Nierembergia spp</i> | 55 |
| Nigella - <i>Nigella damascena</i> | 55 |
| Pansy - <i>Viola tricolor</i> | 60 |
| Penstemon - <i>Penstemon barbatus</i> , <i>P. grandiflorus</i> , <i>P. laevigatus</i> , <i>P. pubescens</i> | 60 |
| Petunia - <i>Petunia spp</i> | 45 |
| Phacelia - <i>Phacelia campanularia</i> , <i>P. minor</i> , <i>P. tanacetifolia</i> | 65 |
| Phox, annual - <i>Phlox drummondi</i> all types and varieties | 55 |
| Physalis - <i>Physalis spp</i> | 60 |
| Platycodon (balloon flower) - <i>Platycodon grandiflorum</i> | 60 |
| Plumbago, cape - <i>Plumbago capensis</i> | 50 |
| Ponytail - <i>Beaucarnea recurvata</i> | 40 |
| Poppy: Shirley Poppy - <i>Papaver rhoeas</i> ; Iceland Poppy - <i>P. nudicaule</i> ; Oriental Poppy - <i>P. orientale</i> ; Tulip Poppy - <i>P. glaucum</i> | 60 |
| Portulace - <i>Portulaca grandiflora</i> | 55 |
| Primula (primrose) - <i>Primula spp</i> | 50 |
| Pyrethrum (painted daisy) - <i>Pyrethrum coccineum</i> | 60 |
| Salpiglossis - <i>Salpiglossis gloxinaeflora</i> , <i>S. sinuata</i> | 60 |
| Salvia - Scarlet Sage - <i>Salvia splendens</i> ; Mealycup Sage (blue bedder) - <i>S. farinacea</i> | 50 |
| Saponaria - <i>Saponaria ocymoides</i> , <i>S. vaccaria</i> | 60 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

| | |
|---|----|
| Scabiosa, annual - Scabiosa atropurpurea | 50 |
| Scabiosa, perennial - Scabiosa caucasica | 40 |
| Schizanthus - Schizanthus spp | 60 |
| *Sensitive pant (mimosa) - Mimosa pudica | 65 |
| Shasta Daisy - Chrysanthemum maximum C. leucanthemum | 65 |
| Silk Oak - Grevillea robusta | 25 |
| Snapdragon - Antirrhinum spp | 55 |
| Solanum - Solanum spp | 60 |
| Statice - Statice sinuata, S. suworonii (flower heads) | 50 |
| Stocks: Common - Matthiola incana; Evening Scented - Matthiola bicornis | 65 |
| Sunflower - Helianthus spp | 70 |
| Sunrose - Helianthemum spp | 30 |
| *Sweet Pea, Annual and Perennial (other than dwarf bush - Lathyrus odoratus), L.latifolius | 75 |
| *Sweet Pea, dwarf bush - Lathyrus odoratus | 65 |
| Tahoka daisy - Machaeanthera tanacetifolia | 60 |
| Thunbergia - Thunbergia alata | 60 |
| Torcen Flower - Tithonia speciosa | 70 |
| Torenia (wishbone flower) - Torenia fournieri | 70 |
| Tritoma Kniphofia spp | 65 |
| Verbena, annual - Verbena hybrida | 35 |
| Vinca - Vinca rosea | 60 |
| Viola - Viola cornuta | 55 |
| Virginian stocks - Malcolmia maritima | 65 |
| Wallflower - Cheiranthus allioni | 65 |
| Yucca (Adam's needle) - Yucca filamentosa | 50 |
| Zinna (except Linearis and Creeping) - Zinnia angustifolia, Z. elegans, Z.grandiflora, Z. gracillima, Z. haageana, Z. multiflora, Z. pumila | 65 |
| Zinnia, Linearis and Creeping - Zinnia linearis, Sanvitalia procumbens | 50 |



AUTHENTICATED,
OHIO LEGISLATIVE SERVICE
COMMISSION
DOCUMENT #247247

The germination standard for all other flower seed shall be fifty per cent.

* means that the minimum percentage for these species includes both the germination per cent and the hard seed per cent added together.