



## Ohio Administrative Code

### Rule 3701-32-02 Scope and applicability of rules.

Effective: December 1, 2021

---

(A) All individuals licensed pursuant to the rules of this chapter must comply with Chapter 3742. of the Revised Code and the applicable rules in Chapter 3701-32 of the Administrative Code. This chapter is applicable to residential units, child care facilities and schools. In addition:

- (1) Clearance technicians shall comply with rules 3701-32-03, 3701-32-04, 3701-32-05, 3701-32-12, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (2) Lead inspectors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-06, 3701-32-12, 3701-32-15, and 3701-32-19 of the Administrative Code.
- (3) Lead risk assessors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-07, 3701-32-12, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (4) Lead abatement workers shall comply with rules 3702-32-03, 3701-32-04, and 3701-32-09 of the Administrative Code.
- (5) Lead abatement contractors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-08, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (6) Lead abatement project designers shall comply with rules 3701-32-03, 3701-32-04, 3701-32-10, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (7) Manufacturers of encapsulants must comply with rule 3701-32-03 and 3701-32-13 of the Administrative Code.
- (8) Clinical lead laboratories must be approved pursuant to rule 3701-82-02 of the Administrative Code and comply with rules 3701-32-14 and 3701-30-05 of the Administrative Code.



(9) Environmental lead laboratories must be approved pursuant to rule 3701-82-02 of the Administrative Code and comply with rule 3701-32-14 of the Administrative Code.

(10) Training providers must be approved pursuant to rule 3701-82-01 of the Administrative Code and must comply with rules 3701-82-01.1, 3701-82-01.2, and 3701-82-01.3 of the Administrative Code.